


Data sheet | Item number: 711-135

Transformer terminal block; 5-pole; CAGE CLAMP® connection for conductors; 4,00 mm²; gray

www.wago.com/711-135



Data

Electrical data

Ratings per IEC/EN

| | |
|-------------------------------|---|
| Ratings per | IEC/EN 60664-1 |
| Rated voltage (III/2) | 800 V |
| Rated impulse voltage (III/2) | 8 kV |
| Rated current | 25 A |
| Legend (ratings) | (III / 2) ≙ Overvoltage category III / Pollution degree 2 |

Connection data

| | |
|-------------------|---|
| Connection points | 5 |
|-------------------|---|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



| | |
|----------------------------|---|
| Total number of potentials | 5 |
| Number of connection types | 1 |

Connection 1

| | |
|-----------------------|------------------------------------|
| Connection technology | CAGE CLAMP® |
| Strip length | 9 ... 10 mm / 0.35 ... 0.39 inches |
| Pole number | 5 |

Physical data

| | |
|--------|------------------------|
| Width | 37.5 mm / 1.476 inches |
| Height | 35 mm / 1.378 inches |
| Depth | 23.5 mm / 0.925 inches |

Material Data

| | |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
| Color | gray |
| Fire load | 0.461 MJ |
| Weight | 17.1 g |

Commercial data

| | |
|-----------------------|---------------|
| eCl@ss 10.0 | 27-14-11-10 |
| eCl@ss 9.0 | 27-14-11-10 |
| ETIM 8.0 | EC000398 |
| ETIM 7.0 | EC000398 |
| PU (SPU) | 30 pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4044918819411 |
| Customs tariff number | 85369010000 |





Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|



Subject to changes. Please also observe the further product documentation!

Approvals / Certificates

General approvals

| Logo | Approval | Additional Approval Text | Certificate name |
|--|-------------------------------------|--------------------------|------------------|
|  | CCA DEKRA Certification B.V. | EN 60998 | NTR NL-7194 |
|  | CCA DEKRA Certification B.V. | EN 60998 | 2160584.54 |
|  | CSA DEKRA Certification B.V. | C22.2 No. 158 | 1101145 |
|  | UL UL International Germany GmbH | UL 1059 | E45172 |

Declarations of conformity and manufacturer's declarations

| Logo | Approval | Additional Approval Text | Certificate name |
|--|--|--------------------------|------------------|
|  | EU-Declaration of Conformity WAGO GmbH & Co. KG | - | - |
|  | UK-Declaration of Conformity WAGO GmbH & Co. KG | - | - |

Downloads

Documentation

Additional Information

| | | | |
|------------------------|------------|--------|----------|
| Technical Section | 2019 Apr 3 | pdf | Download |
| Technical explanations | | 2.0 MB | |

Subject to changes. Please also observe the further product documentation!



CAD/CAE-Data

CAE data

| | | |
|---------------------------|---------------------|--------------------------|
| ZUKEN Portal 711-135 | URL | Download |
| EPLAN Data Portal 711-135 | URL | Download |

CAD data

| | | |
|----------------------|---------------------|--------------------------|
| 2D/3D Models 711-135 | URL | Download |
|----------------------|---------------------|--------------------------|

Environmental Product Compliance

Compliance Search

| | | |
|---|---------------------|--------------------------|
| Environmental Product Compliance 711-135 Transformer terminal block; 5-pole; CAGE CLAMP® connection for conductors; 4,00 mm²; gray | URL | Download |
|---|---------------------|--------------------------|

Installation Notes

Subject to changes. Please also observe the further product documentation!