

## Eaton 96V Extended Battery Module (EBM) for Select Eaton 9SX UPS Systems, Tower

MODEL NUMBER: 9SXEBM96



Provides extended runtime for compatible UPS systems in medical, light industrial, automation and other mission-critical IT applications where space is limited.

### Features

#### Backup Battery Module Gives Your Compatible Eaton UPS System Extended Runtime

The 9SXEBM96 offers extended battery runtime when used in conjunction with Eaton's 9SX2000, 9SX2000G, 9SX3000, 9SX3000G, 9SX3000GL and 9SX3000HW 9SX UPS systems. It can also be daisy-chained for a maximum of four matching battery packs to deliver even longer extended-run operation. Heavy-gauge cabling with high-current DC connectors is included for safe, simple installation.

### Highlights

- Connects to select expandable Eaton 9SX UPS systems to add critical runtime
- Includes heavy-gauge battery cabling with high-current 96V DC connectors
- Daisy-chain connector supports additional battery packs for even longer runtime

### System Requirements

Compatible only with Eaton's 9SX2000, 9SX2000G, 9SX3000, 9SX3000G, 9SX3000GL and 9SX3000HW UPS systems

### Package Includes

- 9SXEBM96 96V Extended Battery Module
- External battery cable
- Quick Start Guide

## Specifications

| OVERVIEW                          |                                  |
|-----------------------------------|----------------------------------|
| UPC Code                          | 743172091062                     |
| INPUT                             |                                  |
| Input Phase                       | Single-Phase                     |
| BATTERY                           |                                  |
| Battery Type                      | Valve Regulated Lead Acid (VRLA) |
| DC System Voltage (VDC)           | 96                               |
| PHYSICAL                          |                                  |
| Color                             | Black                            |
| Rack Height                       | 0U                               |
| External Battery Pack Form Factor | Tower                            |



Powering Business Worldwide

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States

|   |  |
|---|--|
| Installation Form Factors Supported with Included Accessories | Tower  |
| Unit Dimensions (hwd / in.)                                   | 13.600 x 8.400 x 16.200  |
| Unit Weight (lbs.)  | 110.000  |
| Unit Weight (kg)  | 49.90  |
| <b>ENVIRONMENTAL</b>  |  |
| Operating Temperature Range                                   | 32° to 104°F (0° to 40°C)  |
| <b>STANDARDS &amp; COMPLIANCE</b>                             |  |
| Product Compliance  | RoHS; REACH; FCC (USA)   |
| <b>WARRANTY &amp; SUPPORT</b>                                 |  |
| Product Warranty Period (U.S. & Canada)                       | 2-year limited warranty  |
| Warranty Details  | Parts, electronics and batteries coverage, standard ground shipping, technical support |



Powering Business Worldwide

© 2023 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.