# **BGA Heat Sink - High Performance** Straight Fin w/maxiGRIP





ATS Part#:

Description:

#### ATS-53400R-C1-R0

40.00 x 40.00 x 19.50 mm BGA Heat Sink - High Performance Straight Fin w/maxiGRIP

| Heat Sink Type:         | Straight Fin     |
|-------------------------|------------------|
| Heat Sink Attachment:   | maxiGRIP         |
| Equivalent Part Number: | ATS-53400R-C2-R0 |

\*Image above is for illustration purpose only.

### **Features & Benefits**

- High aspect ratio, straight fin heat sinks that are ideal for compact PCB environments •
- maxiGRIP™ attachment applies steady, even pressure to the component and does not require holes in the PCB .
- Designed specifically for BGAs and other surface mount packages •
- Meets Telcordia GR-63-Core Office Vibration; ETSI 300 019 Transportation Vibration; and MIL-STD-810 Shock Testing and . Unpackaged Drop Testing standards
- Comes preassembled with high performance thermal interface material •

## **Thermal Performance**

| AIR VELOCIT        | Y             | @200 LFM<br>1.0 M/S | @300 LFM<br>1.5 M/S | @400 LFM<br>2.0 M/S | @500 LFM<br>2.5 M/S | @600 LFM<br>3.0 M/S | @700 LFM<br>3.5 M/S | @800 LFM<br>4.0 M/S |
|--------------------|---------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| THERMAL RESISTANCE | Unducted Flow | 3.2 °C/W            | 2.3 °C/W            | 1.9 °C/W            | 1.7 °C/W            | 1.6 °C/W            | 1.5 °C/W            | 1.4 °C/W            |
|                    | Ducted Flow   | 1.7                 | N/A                 | N/A                 | N/A                 | N/A                 | N/A                 | N/A                 |

## **Product Detail**

| Schematic Image | Dimension A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Dimension B | Dimension C | Dimension D | ТІМ  | Finish         |  |  |  |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|-------------|------|----------------|--|--|--|
|                 | 40.00 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 40.00 mm    | 19.50 mm    | N/A mm      | T412 | BLACK-ANODIZED |  |  |  |
| <image/>        | <ul> <li>Notes:</li> <li>Dimension A and B refer to component size.</li> <li>Dimension C is the heat sink height from the bottom of the base to the top of the fin field.</li> <li>ATS-53400R-C2-R0 is the exact heat sink assembly with an equivalent thermal interface material (Saint-Gobain C675).</li> <li>Thermal performance data are provided for reference only. Actual performance may vary by application.</li> <li>ATS reserves the right to update or change its products without notice to improve the design or performance.</li> <li>ATS certifies that this heat sink assembly is RoHS-6 and REACH compliant.</li> <li>Optional maxiGRIP<sup>TM</sup> Installation/Removal Tool Set P/N: MGT170</li> <li>Contact ATS to learn about custom options available.</li> </ul> |             |             |             |      |                |  |  |  |

For more information, to find a distributor or to place an order, please contact us at 781-769-2800 (North America), sales@qats.com or www.qats.com.

