


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO J.S.T. AND SHALL NOT BE USED OR SHOWN WITHOUT WRITTEN PERMISSION.

1	2	3	4	5	6	7	8								
Item No.	Part No.	Description	IPI CHECK	EOR CHECK	APPLICABLE HOUSINGS										
1	SSUH-003T-P0.15	SUH Connector Contact			NO. OF CIRCUITS	HOUSING PART NO. WITH PROTRUSIONS	HOUSING PART NO. WITHOUT PROTRUSIONS								
2	UL1571 (0.58 OD), 28 AWG	White						2	SUHR-02V-S-B	SUHR-02V-S					
<table border="1"> <tr> <td colspan="2"><u>Electrical Specifications</u></td> </tr> <tr> <td colspan="2">Current: 1.0AAC/DC</td> </tr> <tr> <td colspan="2">Voltage: 30V AC/DC</td> </tr> </table>					<u>Electrical Specifications</u>		Current: 1.0AAC/DC		Voltage: 30V AC/DC				3	SUHR-03V-S-B	SUHR-03V-S
<u>Electrical Specifications</u>															
Current: 1.0AAC/DC															
Voltage: 30V AC/DC															
					4	SUHR-04V-S-B	SUHR-04V-S								
					5	SUHR-05V-S-B	SUHR-05V-S								
					6	SUHR-06V-S-B	SUHR-06V-S								
					10	SUHR-10V-S-B	SUHR-10V-S								
					12	SUHR-12V-S-B	SUHR-12V-S								
					14	SUHR-14V-S-B	SUHR-14V-S								
					16	SUHR-16V-S-B	SUHR-16V-S								
					20	SUHR-20V-S-B	SUHR-20V-S								



All dimensions are in millimeters with a default tolerance of +/- 5.0 unless otherwise specified.		CUSTOMER NAME			
		DESCRIPTION 0.8mm Pitch SUH Series Standard Leads - 10" Inside Length DOUBLE END LEADS			
Drawn By: Larissa Mosley	Checked By: Steven Pilkington	SIZE	CUSTOMER PART NO.	PART NO.	REV
		SCALE 1:1	DRAWING NO. GAM-303	ASSUHSSUH28W254	DATE 4/19/2018

ZONE	REV	DESCRIPTION	DATE	APPROVED
	1	Add Electrical Specifications	6/29/2018	LM