



TOLERANCE UNLESS OTHERWISE SPECIFIED		
.X	±0.25	
.XX	±0.13	
.XXX	±0.05	

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER **ORIGINAL**







MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0

SHELL: STEEL, NICKEL PLATED

CONTACT: COPPER ALLOY, 15µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT

SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min.

DIELECTRIC

WITHSTANDING VOLTAGE: 1000V AC rms

COMBINATION D-SUB



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

	SW REFERENCE NO.: 628 C	OMBO ASSEMBLY			
	DRAWN: C.B	DATE: JAN. 01/2019			
CHECKED:		DATE:			
	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF 4			
	DD 1141110 111 14DED 00014/014/	4 200 4NO 10015			

628W9W4-322-1N2 DRAWING NUMBER: ISSUE PART NUMBER: 628W9W4-322-1N2

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. TOLERANCE UNLESS OTHERWISE SPECIFIED

.XX ±0.25 .XXX ±0.13 .XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER
ORIGINAL (1)

2W2

0 **(00)** 0

 \circ

5W1

0000°

3WK3

0...0 7W2

11W1

○ ○ ○ ○ ○ ○ ○ ○

9W4

000000

13W3

0 0 · · · · · · · · 0 0

21W1

000000:::00

0000000

17W5


25W3


13W6

○ **○ ··········· ○** ○ ○ ○ ○

21W4

24W7





COMBINATION D-SUB

EDAC INC
TORONTO, ONTARIO
CANADA
YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS
ARE THE PROPERTY OF EDAC INC.,AND
SHALL NOT BE REPRODUCED,OR COPIED
OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS
WITHOUT WRITTEN PERMISSION.

 SW REFERENCE NO.:
 628 COMBO ASSEMBLY

 DRAWN:
 C.B

 DATE:
 JAN. 01/2019

 CHECKED:
 DATE:

 SCALE:
 N.T.S

 SHEET 2 OF 6

 DRAWING NUMBER:
 628WQW/4.322-1N2

 DRAWING NUMBER:
 628W9W4-322-1N2
 ISSUE

 PART NUMBER:
 628W9W4-322-1N2
 1

TOLERANCE UNLESS OTHERWISE SPECIFIED .X ±0.25 .XX ±0.13

.XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER ORIGINAL


2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

24W7 Male/Female











5W5 Male

8W8 Male

7W2 Male/Female

21W4 Male/Female











5W5 Female

8W8 Female

11W1 Male/Female

27W2 Male/Female










17W2 Male/Female

21W1 Male/Female

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2

CURRENT RATING / ØA





628W9W4-322-1N2

628 COMBO ASSEMBLY

ISSUE

COMBINATION D-SUB

YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS EDAC INC ARE THE PROPERTY OF EDAC INC.,AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS CANADA WITHOUT WRITTEN PERMISSION.

	DRAWN: C.B		DATE:	JAN.	01/20	1
	CHECKED:		DATE:			
	SCALE: N.T.S		SHEET	3	OF	_
)	DRAWING NUMBER: 628W9W4-322-1N2		12		_	

SW REFERENCE NO.

PART NUMBER:

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

9W4 Male



25W3 Male



9W4 Female



25W3 Female



13W3 Male




36W4 Male




13W3 Female



36W4 Female




13W6 Male



43W2 Male



13W6 Female



43W2 Female




17W5 Male



47W1 Male



17W5 Female



47W1 Female



COMBINATION D-SUB



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

SCALE: N.T.S	SHEET 4 OF	4
CHECKED:	DATE:	
DRAWN: C.B	DATE: JAN. 01/201	9
SW REFERENCE NO.:	628 COMBO ASSEMBLY	

DRAWING NUMBER: 628W9W4-322-1N2 **ISSUE** 628W9W4-322-1N2 PART NUMBER:

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.