	D T	г	m	τ	7	C		σ	A		_
4	R 22.6 Max () () () () () () () () () () () () () (N Thread	S				YOUT SHOWN AS EXA	MPLE			4
	CHARACTERISTICS Standard : Based on MIL-DTL-38999 Series III	Keying Shown a	Connector dimension Dim Nominal								
N	-Shell Material: Aluminium-Shell Plating: Black Zinc Nickel-Insulator: Thermoplastic-Contacts: Copper Alloy-Seals & Grommet: Silicon Elastomer-Contact Plating: Gold over copper Alloy 0.8µm	ım minimum	A 34.9±0.3 B 19.07+0.1/-0.15 R 32.5Max S 31.8±0.4 W 2.2+0.9/-0.1 VV THREAD M15x1-6g			due to a use the Specification	not be liable for any n e of the Products which is issued by either of th sional recommendation Country FR	n does not comply ne Parties or by a th n, technical notice. Jurisdiction	with nird party		2
	 -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories -Temperature Range : -65°C to +175°C 			[A 01-10-20	016 First Release	PN: 8D711Z0)4AC			_
_	-Salt Spray : 500 hours -Mass : 17.99 g ± 10%			-	A 01-10-20 ISS DATE Designed By:			CU	STOMER DRAWING	MOD N°	
-	BASIC SERIES: 8D 7 - SHELL TYPE : Jam nut Receptacle	- 11 Z 04 A C			SCALE NA		Aluminium F General linear Tolerances: ±	١	D series NPRDS / PROJECT 859 This document is the pro	perty of	1
	CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 11 PLATING : Z = Black Zinc Nickel		ORIENTATION : C CONTACT TYPE : PIN(500 Matings) CONTACT LAYOUT : 11-04		SOURIAU WWW		W.SOURIAU.COM SOURIAU DRG N° 8D711Z04AC-C		SOURIAU it must not be reproduced or communicated without permission SHEET 1/2		_
L	H G	F	E		D	C		B	A		

Г	D I	ш п	Ο				
4	Contact Layout $ \begin{array}{c} & & & \\ & & \\$		Panel cutout JAM NUT RECEPTACLE (TYPE 7)		4		
	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		Dim Nomin	al			
ω			B 19.59+0/- ØC 20.96+0.2		3		
			due to a use of the P the Specifications issued I	SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)			
N			A 01-10-2016 First Release	FR Not Listed PN: 8D711Z04AC			
			ISS DATE Latest modification - by		MOD N°		
			Designed By: Date: TITLE Alu	Date: CUSTOMER DRAWING			
-				eral linear NPRDS / PROJECT erances: ± 859 This document is the proper SOURIAU			
				SOURIAU WWW.SOURIAU.COIVI it must not be reproduced or communicated without permission			
		1		JRIAU DRG N° 0711Z04AC-C	SHEET 2/2		
L	H G I	F	D C	B A			