




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.









NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-17W	5624-3N1	ISSUE	
YOUR			PART NUMBER: 628-17W	5624-3N1	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

63.50

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



1ale/Female



/lale/Female

16.6

		a series			₹ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
		11W	1 Male/Female		27W2 Ma
47.05 - 23.03 - 14.49 - 14.49 - 90 - 95 ²⁵⁴ - 95 ²⁵⁴ - 95 ²⁵⁴	8W8 Female 53.50 53.50 722.83 722.83 722.97 722.83 722.97 722.83 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.97 722.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
		17W	2 Male/Female		21W1 Ma
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ΦA	ac 	47.05 23.65 13.85 		87 87
				SW REFER	ENCE NO.:
		COMBINATION D-SUB			C.B
			1	CHECKED:	
ERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: I	N.T.S

47.05



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	SW REFERENCE NO.: 628 COMBO ASSEMBLY					
COMBINATION D-SUB		DRAWN: C.B		DATE: JAN. 01/2019		
		CHECKED:		DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET	3 OF	4
CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	628-17W	5624-3N1		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-17W	5624-3N1		1

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 의 2.77





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628-17W	5624-3N1	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-17W	5624-3N1	1	