



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER	
ORIGINAL	(1)






NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact_resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Ac rms} \\ \m$




	COMBINATION D-SUB		SW REFERENCE NO.: 629 COMBO ASSEMBLY		
COMBINATION			DATE: JAN. 01/20	19	
			DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 629-21W	1640-4TC	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 629-21W	1640-4TC	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

 $\overline{(1)}$



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female

17W2 Male/Female





5W5 Male



PCB EDGE

8W8 Male




PCB EDGE



PCB EDGE

27W2 Male/Female

21W4 Male/Female




21W1 Male/Female





	COMBINATION D-SUB		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 629-21W	1640-4TC	ISSUE	
YOUR CONNECTION		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 629-21W	1640-4TC	1	

5W5 Female




8W8 Female





CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2





TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





.X±0.25.XX±0.13.XXX±0.05

9W4 Female



36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

23.36

43W2 Female




17W5 Male


COMPLIANT












20.70

13.72

PCB EDGE



31.75

21.9

PCB EDGE

61.00 50.50 22.16 20.70 20.72 20.78 20.72 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20.78 20

		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 629-21W	1640-4TC	ISSUE
			PART NUMBER: 629-21W	1640-4TC	1