
MTi-3

- Miniature form factor (12x12 mm)
- Easy integration
- Development Kit available

The MTi-3 is a self-contained Attitude and Heading Reference System (AHRS) as a $12.1 \times 12.1 \text{ mm}$ module. The Xsens optimized strapdown algorithm (AttitudeEngineTM) performs high-speed dead-reckoning calculations at 1 kHz allowing accurate capture of high frequency motions. Xsens' industry-leading sensor fusion algorithm provides high accuracy and sensor auto-calibration in a cost-effective module for a wide range of (embedded) applications. It relieves users from the design, integration and maintenance of gyroscopes, accelerometers and other sensors.


The MTi-3 is supported by the MT Software Suite which includes MT Manager (GUI for Windows/Linux), SDK, example codes and drivers for many platforms including ROS.



• Available online via Digi-Key, Mouser, Farnell and local distributors

Complete and detailed specifications are available at **mtidocs.xsens.com**

Sensor fusion performance	
Roll, Pitch	0.5 deg RMS
Yaw/Heading	2 deg RMS
Strapdown Integration (SDI)	Yes
Gyroscope	
Standard full range	2000 deg/s
In-run bias stability	6 deg/h
Bandwidth (-3dB)	230 Hz
Noise Density	0.003 °/s/√Hz
Accelerometer	
Standard full range	16 g
In-run bias stability	40 µg
Bandwidth (-3dB)	230 Hz
Noise Density	70 μg/√Hz
Magnetometer	
Standard full range	+/- 8 G
Total RMS noise	0.5 mG
Non-linearity	0.2%
Resolution ————————————————————————————————————	0.25 mG



		-	
м	echa	anıc	21
	CCIII	anne	a i

IP-rating	IP00
Operating Temperature ———	-40 to 85 °C
Casing material	PCB
Mounting orientation ————	No restriction, full 360° in all axes
Dimensions —	12.1 x 12.1 x 2.55 mm
Connector	SMD, footprint compatible with
	JEDEC PLCC-28
Weight	0.6 g
Certifications	CE, FCC, RoHS

Electrical

Input voltage	2.8 to 3.6V
Power consumption (typ)	<100 mW @ 3V

Interfaces / IO

•	
Interfaces	UART, SPI, I ² C
Sync Options	Yes
Protocols	Xbus
Clock drift	10 ppm
Output Frequency	Up to 1 kHz
Built-in-self test	Gyr, Acc, Mag

Software Suite

GUI (Windows/Linux)	MT Manager, Firmware updater,
	Magnetic Field Mapper
SDK (Example code)	C++, C#, Python, Matlab, Nucleo,
	public source code
Drivers	LabVIEW, ROS, GO
Support	BASE by XSENS: online manuals,
	community and knowledge base



