

Replacement Tips
Item: [TIP-STD-4B-CH](#)




Features:

- **International Style: 7**
- **Handle Material:** Stainless Steel
 - **Magnetic Properties:** Anti-Magnetic
 - **Corrosion Resistance:** Anti-Acid
 - **Finish:** Polished
- **Tips:** Replaceable Static Dissipative Curved, Very Fine
 - **Material:** Polyamide 66 with carbon fiber, Grey
 - **Resistance:**
 - Tip to Tip: 1×10^6 to $<1 \times 10^{10}$ tested per modified ANSI/ESD S4.1
 - Tip to Body: 1×10^6 to $<1 \times 10^9$ tested per modified ANSI/ESD S4.1
- Made in Switzerland

Tip Specifications:

Test	Norm	Unit	Value
Density	Hepycnometer	g/cm ³	1,25
Tensile strength	ISO 527	MPa	201
Elongation at break	ISO 527	%	2,5
Tensile Modulus	ISO 527	GPa	15,2
Heat distribution Temperature	ASTM D 648	°C	95°
Melting point	ASTM D1525	°C	>260°
Charpy impact strength	ISO 179 1fu	kJ/m ²	38



Unless otherwise noted, tolerance is $\pm 10\%$.

Specifications and procedures subject to change without notice.

PRECISION STAINLESS STEEL TWEEZER W/ REPLACEABLE STATIC DISSIPATIVE TIPS, CURVED TIP, VERY FINE, STYLE 7

2860 CORDELIA RD STE 230, FAIRFIELD CA, 94534
PHONE: (909) 627-2453
WEBSITE: TronexTools.com

DRAWING NUMBER
1304B-SA-STD-CH

DATE
OCTOBER 2020

