

## Specification Sheet


Part Number: 161-46200

Industry standard blue color assists with visual detection and reduces the risk of contamination.

High stainless-steel content is both detectable and corrosion resistant.

Open design accommodates breakouts at any point along the bundle.

Spiral design makes it suitable for retro-fitting.



Spiralwrap Metal-Content, .35" Diameter, PE/SS, Blue, 98 ft/roll

<b>Article Number</b>	161-46200
<b>Type</b>	SBPEMC9
<b>Color</b>	Blue (BU)
<b>Quantity Per</b>	coil
<b>Product Description</b>	SBPEMC provides flexible, durable cable and hose protection. It is ideal for food-processing machines and related environments. Protects against abrasion, making it appropriate for applications where movement is an issue.
<b>Short Description</b>	Spiralwrap Metal-Content, .35" Diameter, PE/SS, Blue, 98 ft/roll
<b>Global Part Name</b>	SBPEMC9-PE/SS-BU

<b>Variant</b>	Spiral Binding
<b>Bundle Diameter Min (Imperial)</b>	0.39
<b>Bundle Diameter Min (Metric)</b>	10
<b>Bundle Diameter Max (Imperial)</b>	3.94
<b>Bundle Diameter Max (Metric)</b>	100
<b>Diameter D (Imperial)</b>	0.35
<b>Diameter D (Metric)</b>	9
<b>Nominal Diameter (Imperial)</b>	0.38
<b>Nominal Diameter (Metric)</b>	9
<b>Wall Thickness WT (Imperial)</b>	0.055
<b>Wall Thickness WT (Metric)</b>	1.4
<b>Material</b>	Polyethylene (PE) Stainless Steel (SS)
<b>Material Shortcut</b>	PE SS
<b>Flammability</b>	UL 94 HB
<b>Halogen Free</b>	Yes

**Operating Temperature** -76°F to +176°F (-60°C to +80°C)

**Reach Compliant (Article 33)** Yes

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 98

**Package Quantity (Metric)** 30