


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)





NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DR СН THESE DRAWINGS AND SPECIFICATIONS SC EDAC INC ARE THE PROPERTY OF EDAC INC. AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED DR OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS YOUR CONNECTION TO QUALITY & SERVICE PA WITHOUT WRITTEN PERMISSION.







THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



RAWN: C.B		DATE: JAN. 01/2019			
HECKED:		DATE:			
CALE: (IN C.A.D. 1:1)		SHEET	1	OF	4
RAWING NUMBER: 6	28-9W4-	224-4NC			ISSUE
ART NUMBER: 6	28-9W4-	224-4NC			1



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

628-9W4-224-4NC


21W4 Male/Female

		33.30		63.50 	ese ese
		11W1 Male/Female	27W2 Male/Femal	e	
47.05 14.45 14.45 14.45 90 90 90 90 90 90 90 90 90 90	8W8 Female	17W2 Male/Female	21W1 Male/Femal	-	and and a second
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA			47.08 23.63 4 9 9 4 277 277	æ
				COMBO ASSEMBLY	
	COMBINATION D-SUB		DRAWN: C.B CHECKED:		
THIS SERIES FULLY CONFORMS TO		ARE THE FROFERTT OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-9W4-224-4NC ISSUE		
	YOUR CONNECTION TO QUALITY & SE	MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-9W4	-224-4NC	1

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female



8W8 Male

2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male




47.02 23.53 14.51 9.70 7.79 김 영




36W4 Female



13W3 Male




36W4 Male






20.70 30.50 16,62 13.72 15.24 \$.74 2.77

13W6 Male




43W2 Male





17W5 Female



43W2 Female

47W1 Female





17W5 Male

COMPLIANT









22.15 2.77

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20)19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-9W4	-224-4NC	ISSUE
			PART NUMBER: 628-9W4-224-4NC		1





.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female