



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

| Å | \square |
|---|-----------|
| | |








NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, TIN PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING



OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


CONTACT CODE 40 POWER CONTACT FOOTPRINT - 13.20mm 40 IS STANDARD AS SHOWN ON SHEETS 3 & 4 CONTACT CODE 50 POWER CONTACT FOOTPRINT - 20.33mm



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| | SW REFERENCE NO.: 629 COMBO ASSEMBLY | | | |
|--------------------------------------|--|-----------------------------------|--------------------|-------|
| COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/2019 | |
| | | CHECKED: | DATE: | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | RAWING NUMBER: 629-24W7250-2TA IS | | ISSUE |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 629-24W | 7250-2TA | 1 |







THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female



21W4 Male/Female

27W2 Male/Female



5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE

2.77 PCB EDGE

5W5 Female

COMPLIANT



8W8 Female




PCB EDGE


22.70 PCB EDGE

21W1 Male/Female



10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2







CURRENT RATING / ØA







17W2 Male/Female



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

















13W3 Male





25W3 Male





PCB EDGE

36W4 Female



13W6 Male





13W6 Female

13W3 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

43W2 Female




17W5 Male


COMPLIANT












20.7


13.72

PCB EDGE



31.75

21.9



| | | SW REFERENCE NO.: 629 COMBO ASSEMBLY | | | |
|---|--|--|-------------------------|------------------|-------|
| | COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | | | DRAWING NUMBER: 629-24W | 7250-2TA | ISSUE |
| | | | PART NUMBER: 629-24W | 7250-2TA | 1 |



30.50

2.77

22.16

20.76



24.77

23.36