ABBOGIATION CONNECTING ELECTRONICE INDUSTRIES® INC. INC. BAINOCK International and Pan-American c	burn, Illinois. All rights reserved un	der both This docum level parts,	ent is a declaration the declaration en	n of the substance compasses all low	es within the manufacture er level materials for wh	er listed item. Note: hich the manufacture	if the item is an as er has engineering	sembly with lower responsibility.	
IPC Web Site for Information on http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					
Supplier Information									
Company name*	pany name* Company unique ID		Unique ID Authority			Response Date*			
onsemi						2023-06-08			
Contact Name	Title - Contact		Phone - Contact*			Email - Contact*			
Product-Env-Stewards	Stewards Product Enviro Compliance		NA			Product-Env-Stewards@onsemi.com			
thorized Representative* Title - Representative			Phone - Representative*			Email - Representative*			
Product-Env-Stewards		NA				Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Item	n Number Mfr Item Name		Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type	
LC7490	00PT-8B15H Video processor for	r LCD	2023-06-08 PHM		РНМ	500.0	mg	Each	
Manufacturing Proccess Information	·		-						
Terminal Plating / Grid Array Material	Ferminal Base Alloy J-	STD-020 MSL Rating	Peak Process Body Temperatu		ure Max Time at Peak	Temperature Num	ber of Reflow Cy	eles	
contains Bi CU Alloy 3			260	С	30	seconds 3			
Comments									
ATTENTION: MSL 3 Rated item requires Bake and I	Dry Pack (after electrical test)								
For more information regarding material composition	please refer to page 3								

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl ohthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).								
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the				
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	16.17	mg	Supplier	Silicon (Si)	7440-21-3		16.1134	mg
			Supplier	Polyimide	Proprietary Data		0.0566	mg
Die Attach	3.91	mg	Supplier	Silver (Ag)	7440-22-4		2.7761	mg
			Supplier	Epoxy resins	129915-35-1		1.1339	mg
Lead Frame	150.76	mg	Supplier	Silver (Ag)	7440-22-4		0.7538	mg
			Supplier	Tin (Sn)	7440-31-5		1.8694	mg
			Supplier	Zinc (Zn)	7440-66-6		0.4372	mg
			Supplier	Silicon (Si)	7440-21-3		1.0402	mg
			В	Nickel (Ni)	7440-02-0		4.7942	mg
			Supplier	Copper (Cu)	7440-50-8		141.8652	mg
Mold Compound-Black	324.26	mg		Organic Phosphorus compound	proprietary data		4.5396	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		26.5893	mg
			Supplier	Carbon Black (C)	1333-86-4		0.6485	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		292.4825	mg
Plating	0.5	mg	В	Bismuth (Bi)	7440-69-9		0.003	mg
			Supplier	Tin (Sn)	7440-31-5		0.497	mg
Wire Bond	4.4	mg	Supplier	Palladium (Pd)	7440-05-3		0.044	mg
			Supplier	Gold (Au)	7440-57-5		4.356	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).