



# Product: <u>5304FE</u> ☑

Security & Sound, #18-6c, BC, Shielded, CMR

# **Product Description**

Security & Sound Cable, Riser-CMR, 6-18 AWG stranded bare copper conductors with polypropylene insulation, Beldfoil® shield and PVC jacket with ripcord

## **Technical Specifications**

### Product Overview

Product Overview								
Suitable Applications:	Suitable Applications: Security System, Intercom/PA, Audio/Speaker, Power-Limited Controls, Noisy Environment							
Construction Details								
Conductor								
Element Number of Elem	ent Size Stranding I	Material						
Conductor(s) 6		Bare Copper						
Insulation								
Element Material	Nom. Thickness Nom. Insula	tion Diameter Col	or Code					
Conductor(s) PO - Polyolefin	0.009 in (0.23 mm) 0.062 in (1.6	mm) Black, Red, Whit	e, Green, Brown, Blue					
Outer Shield								
Shield Type Material	Coverage Drainwire	Туре						
Tape Bi-Laminate (Alun	n+Poly) 100% 24 AWG (7)	:32) TC						
Outer Jacket								
Material Nom.	. Thickness Nom. Diameter	Ripcord						
PVC - Polyvinyl Chloride 0.017	in (0.43 mm) 0.224 in (5.69 mm)	Yes						
Overall Cable Diameter (Nomina	II): 0.224 in (5.69 mm)							
Electrical Characteristic	s							
Electricals								
Element Nom. Conductor	r DCR Nom. Capacitance Conc	-to-Cond Nom. Capacitance	Cond-to-Other (Conds + S	hield) Max. Current				
Conductor(s) 6.5 Ohm/1000ft	27 pF/ft (89 pF/m)	48.5 pF/ft (159 pF/m)	I	9.8 Amps per conductor @ 25°C				
Voltage								
UL Voltage Rating								
300 V								
Mechanical Characteris	tics							
<b>-</b> .								
Temperature UL Temperature Operating								
OE remperature   Operating     75°C   -20°C to +75°								
Bend Radius								
Stationary Min. Installation M	in.							
2.2 in (56 mm) 2.2 in (56 mm)								
Max. Pull Tension: 143.5 lbs (65.09 kg)								

Bulk Cable Weight:

43 lbs/1000ft

**Standards and Compliance** 

-	
Environmental Suitability:	Indoor - Riser, Indoor
Flammability / Reaction to Fire:	UL 1666 Riser, IEEE 1202 FT4, IEC 60332-1-2
CPR Compliance:	CPR Euroclass: Eca
NEC / UL Compliance:	Article 800, CMR
CEC / C(UL) Compliance:	CMG
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)
UK Regulation Compliance:	UKCA Mark
APAC Compliance:	China RoHS II (GB/T 26572-2011)
Plenum Number:	6304FE

#### **History**

Update and Revision: Revision Number: 0.474 Revision Date: 05-12-2023

#### **Part Numbers**

#### Variants

Item #	Color	Putup Type	Length	UPC/EAN
5304FE 0081000	Gray			612825336884
5304FE 008500	Gray			612825159889
5304FE 008U500	Gray			612825159872
5304FE.00305	Gray	Reel	305 m	8719605008305

© 2023 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.