I		m		J	0		A	
	ØS							
					LAYOUT SHOWN AS EX			
	Keying Shown as	sexample						
CHARACTERISTICS -Standard : Based on MIL-DTL-38999 Series III	F	Connector dimension Dim Nominal						
-Shell Material : Aluminium	F	ØS 29.4 Max Z 31 Max	7		SOURIAU shall not be liable for any	non-conformity or day	mage	7
-Shell Plating : Black Zinc Nickel		VV THREAD M18x1-6g			due to a use of the Products wh	ich does not comply wi	th	
-Insulator : Thermoplastic			—		the Specifications issued by either of (professional recommendat		d party	
-Contacts : Copper Alloy					(professional recommendat	on, teennear notice.y		
-Seals & Grommet : Silicon Elastomer					Countr			
-Contact Plating : Gold over copper Alloy 0.8μm mi	nimum				FR	Not L	ISTED	
-Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories					PN: 8D5132	03PA		
			F					
-Temperature Range : -65°C to +175°C -Salt Spray : 500 hours				A 19-10-2016	First Release			
			-	ISS DATE	Latest modification - by			MOD N°
				Designed By:	Date:	CUST	OMER DRAWING	
TITLE Aluminium Plug 8D series				ies				
BASIC SERIES: 8D 5 -	13 Z 03 P A		-	SCALE	General linear	NP	RDS / PROJECT	
SHELL TYPE : Plug with RFI Shielding				NA -[Tolerances:		859	
					·	Т	his document is the property	y of
CONTACT TYPE : Standard Crimp Contact			ENTATION : A	SOURIAU	WWW.SOURIAU.C		SOURIAU it must not be reproduced o	
SHELL SIZE : 13		CONTACT TYPE : PIN(mmunicated without permis	
PLATING : Z = Black Zinc Nickel		CONTACT LA	YOUT : 13-03		SOURIAU			SHEET
				A3	8D513Z()3PA-C		1/2

_	Ŧ	۵	<u>п</u>	т		0	
		Contact Layout					
4		03 () () () () () () () () () () () () ()					
	Ctc A B	3#16 13-03 X Y 2.39 1.47 0 -2.79					
ယ	C	-2.39 1.47					
						SOURIAU shall not be lia due to a use of the P the Specifications issued l	Products v
2						(professional rec	commend Coun FR
						PN: 8	
					A 19-10-2016 ISS DATE Designed By:	First Release Latest modification - by Date:	
					SCALE	Gene	Alumi eral linear lerances:
<u> </u>					SOURIAU	www.sou	± RIAU.
					FORMAT	SOL	URIA

G

Н


F

Е

A3

D

С



Þ

σ