




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

\land \Box	L
	Г
	┝
	L









NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/201	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-27W2624-5N2		ISSUE
YOUF			PART NUMBER: 628-27W	2624-5N2	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




628-27W2624-5N2


		NS L 27			1998 -
		11W1 Male/Female	27W2 Male/Femal	e	
47.05 14.49 14.59 14	W8 Female	33.30 16.60 9.70 8.31 9.70 8.31 9.70 8.31 9.70 8.31 9.70 8.31 9.70		63.50 31.75 ++++++++ +++++++++++++++++++++++++++	- Jesa
		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / 0 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	I WI Male/Female $I WI Male/Female $ $I WI MI WI WI$				
			SW REFERENCE NO.: 628 C	COMBO ASSEMBLY	
	COMBINA	TION D-SUB)19
			CHECKED:		
IS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	4
IE EUROPEAN UNION DIRECTIVES 11/65/EU FOR R₀HS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-27W	2624-5N2	ISSUE
	YOUR CONNECTION TO QUALITY & SERV		PART NUMBER: 628-27W	2624-5N2	1

5W5 Female

5W5 Male




8W8 Male



63.50

3.30




WITHOUT WRITTEN PERMISSION.

THIS THE 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25






9W4 Male



25W3 Male



47.02 9.70


.XX

±0.13 .XXX ±0.05

9W4 Female


김 영

13W3 Female




23.53

25W3 Female




13W3 Male



36W4 Male





30.50 20.70 16,62 13.72 15.24 \$.74 2.77


13W6 Male



43W2 Male








43W2 Female

47W1 Female

36W4 Female




17W5 Male

COMPLIANT



47W1 Male





22,15 20.78

2.77

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-27W2624-5N2		ISSUE
			PART NUMBER: 628-27W	2624-5N2	1

