


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

ORIGINAL

(1)





NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019			
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W2WK2224-2NA		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W2W	K2224-2NA	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

1

628W2WK2224-2NA

21W4 Male/Female


5W5 Male	8W8 Male	/ WZ Wale/Female	2104101867761181	C	
		33.30 35.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.00 1.30 1.00		53.50 31.75 31.75 20 00 00 00 00 00 00 00 00 00 00 00 00	
		11W1 Male/Female	27W2 Male/Femal	e	
5W5 Female	8W8 Female			31.75 	and the second
+++		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT R 10A 20A 30A 40A	/ 2.2 / 3.3 / 3.7				æ
			SW REFERENCE NO.: 628 C	OMBO ASSEMBLY	
	COMBI	COMBINATION D-SUB		DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES		ARE THE FROFERTT OF EDAG ING., AND	SCALE: N.T.S	SHEET 3 OF	4
	TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR CANADA OR USED AS THE BASIS FOR THE		DRAWING NUMBER: 628W2W	K2224-2NA	ISSUE

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.

PART NUMBER:

COMPLIANT





 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male









36W4 Female




13W3 Male












13W6 Male



43W2 Male










47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628W2WK2224-2NA		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W2W	K2224-2NA	1



.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female