Mounting Option THIS IS A C.A.D. GENERATED DRAWING 04-.156 (3.96) Dia. Mounting Holes DO NOT MAKE MANUAL REVISIONS TO MASTER. **Contact Detail** 521-P.C. Tail .025 Sq.(0.64 Sq.) - Tail LG=.150(3.81) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing -5.840[148.34]--5.590 [141.99] 5.317 [135.05] 5.156 [130.96] Card Slot Accepts .054 [1.37] to .070 (1.78) Thick P.C. Board SECTION A-A 0.370[9.40] - 0.350[8.89] 0.388 [9.86] Card Slot .160 [4.06] Point of Contact-ROAR

See Accompanying Page for:

- **Bend Detail**
- **Mounting Options**

833 Series High Temp Card Edge Connector Part Number: 833-064-521-204



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	833 ENG MASTER		
DRAWN: J.LEE	DATE: OCT. 14/09		
CHECKED:	DATE:		
SCALE: NTS	SHEET 1 OF 3		
DRAWING NUMBER	ISSUE		

833 Assembly

ISSUE NUMBER

ORIGINAL



ORIGINAL (1)

ORIGINAL



833 Series High Temp Card Edge Connector Contact Bend Detail		ACAD REFERENCE NO.	833 ENG MASTER	
		DRAWN: J.LEE	DATE: OCT. 14/09	
		CHECKED: DATE:		
TORONTO, ONTARIO ARE THE SHALL NOR USEI MANUFA MANUFA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: NTS	SHEET 2	2 OF 3
		DRAWING NUMBER		ISSUE
		833 Assembly		1

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ORIGINAL (1)



833 Series High Temp Card Edge Connector Mounting Options		ACAD REFERENCE NO. 833 ENG MA DRAWN: J.LEE DATE: OCT. 1		
EDAC INC THESE DRAWINGS AND SPECIFICATIONS	CHECKED: SCALE: NTS	DATE:	3 OF 3	
TORONTO, ONTARIO CANADA	ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	833 Assembly		1