05/01/2015	Kit Components		
Product code	Description		
1,011	Triggerbond® T10-3005CL Epoxy Resin & Mercaptan Polymer Formulation		
Components:			
557	10-3005RCL Epoxy Resin Formulation		
155	10-3005CCL & DC-10-305C, 10-3007CCL Mercaptan Polymer Formulation		

Wakefield Vette Part Number: BT-103-50M





Printing date 05/01/2015

Reviewed on 05/01/2015

Identification	
Product identifier	
Trade name: 10-3005RCL	
CAS Number:	
25068-38-6	EPOXIES
NLP Number:	INNOVATIVE BONDING SOLUTIONS ET
500-033-5 Index number:	
603-074-00-8	
Relevant identified uses of the substance or mixture and uses advised	l against
No further relevant information available.	0
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Epoxies, Etc.	
21 Starline Way	
Cranston, RI 02921 USA	
USA	
General Telephone:401-946-5564	
Information department: Product safety department.	
• •	nal: +01-813-248-0585
Classification of the substance or mixture	
Classification of the substance or mixture GHS07	
<i>GHS07</i> <i>Skin Irrit.</i> 2 <i>H315 Causes skin irritation.</i>	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according	to the Globally Harmonized System (GH
<i>Skin Irrit.</i> 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07	g to the Globally Harmonized System (GH
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning	g to the Globally Harmonized System (GH
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling:	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a Hazard statements	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a Hazard statements Causes skin irritation.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number all Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number all Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number all Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapors/spray	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number of Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Frecautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling.	werage molecular weight ≤ 700)
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number a Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace	werage molecular weight ≤ 700)
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The substance is classified and labeled according Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number of Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Frecautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling.	werage molecular weight ≤ 700)

Printing date 05/01/2015

Reviewed on 05/01/2015

(Contd. of page 1)

Trade name: 10-3005RCL

Specific t	reatment (see	on	this	label).	
Specific i	i caincia (BUU	Un	inus	inociji	•

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)

Health = 1 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



• Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Substances
- · CAS No. Description
- 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)
- · Identification number(s)
- · NLP Number: 500-033-5
- Index number: 603-074-00-8

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- *After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.*
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Seek immediate medical advice.

A person vomiting while lying on their back should be turned onto their side.

DO NOT attempt to give anything by mouth to an unconscious person.

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 05/01/2015

Reviewed on 05/01/2015

Trade name: 10-3005RCL

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing. Keep people at a distance and stay upwind.
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
- Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

• **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Store at ambient temperature 25 C.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Stoor indoors.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

USA

Printing date 05/01/2015

Reviewed on 05/01/2015

(Contd. of page 3)

Trade name: 10-3005RCL

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physic	al and chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odour threshold:	Not determined.	

Printing date 05/01/2015

Reviewed on 05/01/2015

Trade name: 10-3005RCL

		(Contd. of page
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	$> 260 \ ^{\circ}C \ (> 500 \ ^{\circ}F)$	
· Flash point:	249 °C (480 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Organic solvents:	0.0 %	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications. Avoid elevated temperatures.
- · Possibility of hazardous reactions
- Reacts with amines.
- Reacts with catalysts, oxidizing agents and strong alkali.
- Hazardous polymerization may occur if mixed with amines in large masses and/or with heat.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong acids, strong bases, strong oxidizers, amines, and mercaptans.
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide

(Contd. on page 6)

USA

Printing date 05/01/2015

Reviewed on 05/01/2015

Trade name: 10-3005RCL

Unknown hydrocarbons.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- Remark: Toxic for fish
- \cdot Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 7)

(Contd. of page 5)

Printing date 05/01/2015

Reviewed on 05/01/2015

Trade name: 10-3005RCL

Dispose of in accordance to all local, state, and/or national regislation.

IN North an	
UN-Number DOT	Not Applicable
ADR, IMDG, IATA	UN3082
	0115062
UN proper shipping name	
DOT	Not Applicable
ADR	3082 Environmentally hazardous substances, liquid, n.o.s. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700))
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy res
	(number average molecular weight \leq 700)), MARINE POLLUTAN
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL
	N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy res
	(number average molecular weight \leq 700))
Transport hazard class(es)	
DOT	
Class	Not Applicable
Class	9 Miscellaneous dangerous substances and articles
Class Label	9 Miscellaneous dangerous substances and articles 9
Label Packing group	9
Label Packing group DOT	9 Not Applicable
Label Packing group DOT	9
Label Packing group DOT ADR, IMDG, IATA	9 Not Applicable III Product contains environmentally hazardous substances: reaction
Label Packing group DOT ADR, IMDG, IATA Environmental hazards:	9 Not Applicable III Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average
Label Packing group DOT ADR, IMDG, IATA Environmental hazards: Marine pollutant:	9 Not Applicable III Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Yes
Label Packing group DOT ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR):	9 Not Applicable III Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Yes Symbol (fish and tree)
Label Packing group DOT ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	9 Not Applicable III Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Yes Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
Label Packing group DOT ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): Special precautions for user	9 Not Applicable III Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Yes Symbol (fish and tree) Symbol (fish and tree)
	9 Not Applicable III Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Yes Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)

(Contd. of page 6)

Printing date 05/01/2015

Reviewed on 05/01/2015

Trade name: 10-3005RCL

 (Contd. of page 7)

 • Transport/Additional information:

 • DOT

 • Remarks:
 Not regulated.

 • UN "Model Regulation":
 UN3082, Environmentally hazardous substances, liquid, n.o.s. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* GHS07

· Signal word Warning

Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)
Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Printing date 05/01/2015

Reviewed on 05/01/2015

Trade name: 10-3005RCL

(Contd. of page 8) Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information given and the recomendations made herein apply to our product alone and are not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the user's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

- · Department issuing SDS: Product safety department.
- · Contact: Paul C. Harrington
- · Date of preparation / last revision 05/01/2015 / -

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

USA

Printing date 05/01/2015

Reviewed on 04/06/2015

Identifica	10N
Product ide	ntifier
Trade name	: 10-3005CCL & DC-10-305C, 10-3007CCL
Relevant ide No further r	ber: Mercaptan Polymer Formulation ntified uses of the substance or mixture and uses advised against elevant information available. of the substance / the mixture Epoxy curing agent
Details of the Manufactur Epoxies, Etc 21 Starline Cranston, R USA	Vay
General Tel	phone:401-946-5564
	<i>department:</i> Product safety department. <i>telephone number:</i> Domestic: 800-255-3924 International: +01-813-248-0585
	n of the substance or mixture HS07
Skin Irrit. 2	HS07 H315 Causes skin irritation.
Skin Irrit. 2 Eye Irrit. 2A	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. nts
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. Ints lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS07 Warning
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. Ints lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS07 Warning ments
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word Hazard stat. Causes skin Causes serie	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. Its lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS07 Warning ments irritation. us eye irritation.
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word Hazard stat Causes skin Causes serie Precautiona If medical a	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. hts lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS07 Warning ments irritation. us eye irritation. ry statements lvice is needed, have product container or label at hand.
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label eleme GHS label eleme Hazard pict Signal word Hazard state Causes skin Causes serie Precautiona If medical a Keep out of Read label l	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. hts lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS07 Warning ments irritation. us eye irritation. ry statements ly statements ly statements wice is needed, have product container or label at hand. reach of children. efore use.
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word Hazard state Causes skin Causes serie Precautiona If medical a Keep out of Read label l Wear protect Wear eye pr	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. hts lements The product is classified and labeled according to the Globally Harmonized System (GHS) ograms GHS07 Warning ments irritation. us eye irritation. ry statements lvice is needed, have product container or label at hand. reach of children. efore use. tive gloves. otection / face protection.
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word Hazard state Causes skin Causes seric Precautiona If medical a Keep out of Read label I Wear protect Wear eye pr Wash thorou If in eyes: 1	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. Ints lements The product is classified and labeled according to the Globally Harmonized System (GHS), ograms GHS07 Warning iments irritation. us eye irritation. us eye irritation. y statements livice is needed, have product container or label at hand. reach of children. efore use. tive gloves. otection / face protection. ghly after handling.
Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word Hazard state Causes skin Causes serie Precautiona If medical a Keep out of Read label b Wear protec Wear eye pr Wash thorou If in eyes: I Continue rin Specific tree	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. Ints lements The product is classified and labeled according to the Globally Harmonized System (GHS, ograms GHS07 Warning ments irritation. us eye irritation. ry statements hvice is needed, have product container or label at hand. reach of children. efore use. tvice is needed, have product container or label at hand. reach of children. efore use. tvice gloves. otection / face protection. ghly after handling. inse cautiously with water for several minutes. Remove contact lenses, if present and easy to sing. tment (see on this label).
Skin Irrit. 2 Eye Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word Hazard stat Causes skin Causes serie Precautiona If medical a Keep out of Read label l Wear protec Wear eye pr Wash thorou If in eyes: I Continue rin Specific tree If skin irrita If eye irritat	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. hts lements The product is classified and labeled according to the Globally Harmonized System (GHS) grams GHS07 Warning ments irritation. us eye irritation. ry statements lvice is needed, have product container or label at hand. reach of children. efore use. tive gloves. otection / face protection. ghly after handling. 'inse cautiously with water for several minutes. Remove contact lenses, if present and easy to sing. tment (see on this label). ion occurs: Get medical advice/attention. on persists: Get medical advice/attention.
Skin Irrit. 2 Eye Irrit. 2 Eye Irrit. 2A Label eleme GHS label e Hazard pict Signal word Hazard stat Causes skin Causes serie Precautiona If medical a Keep out of Read label I Wear protec Wear eye pr Wash thorou If in eyes: I Continue rin Specific trea If skin irrita If eye irritat If on skin: W	HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H3 lements The product is classified and labeled according to the Globally Harmonized System (GHS, ograms GHS07 Warning ments irritation. us eye irritation. ry statements lvice is needed, have product container or label at hand. reach of children. efore use. live cloves. efore use. tive gloves. potection / face protection. ghly after handling. inse cautiously with water for several minutes. Remove contact lenses, if present and easy to sing. tment (see on this label). ion occurs: Get medical advice/attention.


Printing date 05/01/2015

Reviewed on 04/06/2015


Trade name: 10-3005CCL & DC-10-305C, 10-3007CCL

(Contd. of page 1)

2.5-10%



 $\begin{array}{c} \textbf{Health} = 0\\ Fire = 1\\ Reactivity = 0 \end{array}$



HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$
- · Dangerous components:
- 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting. Give large amounts of water followed by milk if available. If vomiting should occur spontaneously, keep airway clear. Get medical attention. Never give anything by mouth to an unconscious person.

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture Carbon dioxoide, carbon monoxide, hydrogen sulfide, & oxides of sulfur.

(Contd. on page 3)

USA

Printing date 05/01/2015

Reviewed on 04/06/2015

Trade name: 10-3005CCL & DC-10-305C, 10-3007CCL

(Contd. of page 2)

- · Advice for firefighters
- Protective equipment:

Wear fully protective suit. Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Keep people at a distance and stay upwind.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Flush area with water to remove residues.

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · **Precautions for safe handling** No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Printing date 05/01/2015

Reviewed on 04/06/2015

Trade name: 10-3005CCL & DC-10-305C, 10-3007CCL

· Material of gloves

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection: Goggles recommended during refilling.*

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Liquid	
Color:	According to product specification	
Odor:	Like rotten eggs (mercaptans)	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	259 °C (498 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing date 05/01/2015

Reviewed on 04/06/2015

Trade name: 10-3005CCL & DC-10-305C, 10-3007CCL

		(Contd. of page 4
· Solvent content:		
Organic solvents:	0.0~%	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Hazardous polymerization may occur if mixed with epoxy resins. Excessive exothermic reactions will occur when mixed with epoxy resins in large masses (>100 grams).

- Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong acids, strong bases, strong oxidizers, epoxy resins
- · Hazardous decomposition products:

Hydrogen sulfide Carbon monoxide Sulfur oxides (SOx) Carbon dioxide

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

USA

Printing date 05/01/2015

Reviewed on 04/06/2015

Trade name: 10-3005CCL & DC-10-305C, 10-3007CCL

 $(Contd. \ of \ page \ 5)$

- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- *Mobility in soil* No further relevant information available.
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

 \cdot Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

Dispose of in accordance to all local, state, and/or national regislation.

14 Transport information

UN-Number DOT, ADR, ADN, IMDG	Not Applicable
IATÁ	UN3334
UN proper shipping name	
DOT, ADR, ADN, IMDG	Not Applicable
IATA	Aviation regulated liquid, n.o.s.
Transport hazard class(es)	
DOT, ADR, ADN, IMDG	
Class	Not Applicable
IATA	
Class	9 Miscellaneous dangerous substances and articles
Packing group	
DOT, ĂĎR, ÎMDG	Not Applicable
IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Remarks:	Not Regulated
	(Contd. on page

Printing date 05/01/2015

Reviewed on 04/06/2015

Trade name: 10-3005CCL & DC-10-305C, 10-3007CCL

		(Contd. of page 6)
· ADR · Remarks:	Not regulated	
· IMDG · Remarks:	Not Regulated	
· IATA · Remarks:	Not Regulated	
· UN ''Model Regulation'':	-	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* GHS07

· Signal word Warning

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

• **Precautionary statements** If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

(Contd. on page 8)

USA

Printing date 05/01/2015

Reviewed on 04/06/2015

Trade name: 10-3005CCL & DC-10-305C, 10-3007CCL

(Contd. of page 7)

Wear protective gloves.
Wear eye protection / face protection.
Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information given and the recommendations made herein apply to our product alone and are not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the user's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

- · Department issuing SDS: Product safety department.
- · Contact: Paul C. Harrington
- · Date of preparation / last revision 05/01/2015 / -

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A