ATGBICS FTLF1322P1WTR Finisar Compatible Transceiver SFP 622Base-LX (1310nm, SMF, DOM, Ind Temp)

Brand : ATGBICS

Product code: FTLF1322P1WTR-C




Product name : FTLF1322P1WTR Finisar Compatible Transceiver SFP 622Base-LX (1310nm, SMF, DOM, Ind Temp)

FTLF1322P1WTR Finisar Compatible Transceiver SFP 622Base-LX (1310nm, SMF, DOM, Ind Temp)

ATGBICS FTLF1322P1WTR Finisar Compatible Transceiver SFP 622Base-LX (1310nm, SMF, DOM, Ind Temp):

ATGBICS FTLF1322P1WTR 622Base-LX supports single-mode fibre (SMF) using a wavelength of 1310nm via an LC connector. This product is suitable for rugged environments and can operate at temperatures between -40C to +85C. Digital optical monitoring (DOM) support is also present enabling realtime monitoring of the parameters of the fibre optic transceiver. Our product meets the specification of Finisar FTLF1322P1WTR= and we proudly offer a compatibility guarantee and lifetime warranty. Our rigorously tested products record a unique traceable serial number and are fully compliant with all MSA Standards. Up to 622Mb/s BiDi.

Deufennuese		B	
Performance		Power	
SFP transceiver type * Maximum data transfer rate * Interface type * Single-mode fiber (SMF) supported	SFP Power consum ted ed LC Minimum opera LX Operating temp 1310 nm Storage tempe Fast Ethernet Storage relative	Input voltage Maximum voltage Power consumption (typical)	3.3 V 3.5 V 1.3 W
		Operational conditions	
Multi-mode fiber (MMF) supported Fiber optic connector SFP transceiver standard Wavelength Ethernet LAN Ethernet interface type Digital Diagnostics Monitoring		Minimum operating temperature Maximum operating temperature Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-40 °C 85 °C -40 - 85 °C -40 - 85 °C 5 - 85% 5 - 85%
(DDM)		Weight & dimensions	
Wavelength-division multiplexing (WDM)	×	Width Depth	13.4 mm 56.5 mm
Features		Height	8.5 mm
Product colour	Silver	Weight	25 g
Housing material Metal Plug and Play Hot-Plug support Hot-swap Mot-swap	Metal	Packaging data	
		Number of products included Package type	1 pc(s) Box
Easy to install	•	Technical details	
Country of origin United Kingdom Brand compatibility Finisar Certification CE, FCC, RoHS	Sustainability compliance Sustainability certificates Doesn't contain	✔ RoHS Lead	



5056468768216

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.