# HD14-9-1939PE ✓ ACTIVE

## DEUTSCH | DEUTSCH HD10

TE Internal #: HD14-9-1939PE

Housing for Male Terminals, Wire-to-Wire, 9 Position, Sealable,

Black, Wire & Cable, Power & Signal, Cable Mount (Free-Hanging),

Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH HD10 Housings



Connector & Housing Type: Housing for Male Terminals

Mating Pin Diameter: 1.59 mm [ .063 in ]

Connector System: Wire-to-Wire

Number of Positions: 9

Sealable: Yes

#### All DEUTSCH HD10 Housings (53)

## **Features**

# **Product Type Features**

Connector Shape	Circular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	Contact Retainer
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Blank Cavity Position	0
Number of Positions	9
Electrical Characteristics	
Operating Voltage	250 VAC
Nominal Voltage Architecture	12 V, 24 V
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black



#### **Contact Features**

Contact Size	Size 16
Contact Type	Pin
Mating Pin Diameter	1.59 mm[.063 in]
Contact Current Rating (Max)	13 A

#### Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	Add By Accessory
Mating Alignment Type	Polarizing Rib
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

# **Housing Features**

#### **Dimensions**

Connector Height	32.49 mm[1.279 in]
Product Width	32.49 mm[1.279 in]
Product Length	42.18 mm[1.66 in]
Accepts Insulation Diameter Range	1.35 – 3.05 mm[.053 – .12 in]

# **Usage Conditions**

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

# Operation/Application

Circuit Application	Power & Signal
Industry Standards	
Degree of Protection	IP68, IP6K9K

UL 94V-1

# Packaging Features

**UL Flammability Rating** 

Packaging Quantity	250
Packaging Method	Box

# Other

Serviceable	Yes	
Connector Position Assurance Capable	No	



# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts

























TE Part # CAT-D48-SFT273

DEUTSCH Stamped and Formed

Contacts



# Also in the Series | DEUTSCH HD



Automotive Connector Caps & Covers (65)



Automotive Housings(741)



Automotive Seals & Cavity Plugs(10)



Insertion & Extraction Tools(11)



Other Automotive Connector Accessories(11)



PCB Headers & Receptacles(1)

Also in the Series | DEUTSCH HD10





Automotive Connector Caps & Covers (34)



Automotive Housings(53)



PCB Headers & Receptacles(1)

# Customers Also Bought



TE Part #K1146079 Abdeckungs-Set Relais 26-08-54



TE Part #HC5728

LEAD CONNECTOR 16MM



TE Part #HC5739 95MM2 NEGBAT LEAD 1/4" UNC THREAD



TE Part #HC5840D INTEGRAL BATT. POST. DOUBLE TAPER.



TE Part #HC5841
70MM2 BATTTERY CLMP ASSMB
NEGATIVE



TE Part #HC5901 BATT.POST CLAMP -VE MK.3



TE Part #L47N-600-1 LYD STEEL 3/64 X 6 NYLON COATING

TE Part #429604-ZZ 5/16 UNC HEXAGON NUT ELECTRO TIN P

TE Part #429605-ZZ SQ.HEAD BOLT 5/16 UNC x 1-ELECTRO TI

# **Documents**

**Product Drawings** 

**INL REC ASM** 

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_HD14-9-1939PE\_99\_c-hd14-9-1939pe-99.2d\_dxf.zip

Housing for Male Terminals, Wire-to-Wire, 9 Position, Sealable, Black, Wire & Cable, Power & Signal, Cable Mount (Free-Hanging), Hybrid



English

**Customer View Model** 

ENG\_CVM\_CVM\_HD14-9-1939PE\_99\_c-hd14-9-1939pe-99.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_HD14-9-1939PE\_99\_c-hd14-9-1939pe-99.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

**CONNECTOR SELECTOR** 

English

**Product Specifications** 

**Application Specification** 

English

**Agency Approvals** 

**UL Report** 

English