	E G	т (П	D	C	σ	A		
4	R 22.6 Max (rej) (rej) (S T T T T T T T T T T T T T T T T T T T		<image/>	NAS EXAMPLE			4
	CHARACTERISTICS -Standard : Based on MIL-DTL-38999 Series III	Keying Shown as example Connector dimension Dim Nominal						
N	-Shell Material: Aluminium-Shell Plating: Olive drab Cadmium-Insulator: Thermoplastic-Contacts: Copper Alloy-Seals & Grommet: Silicon Elastomer-Contact Plating: Gold over copper Alloy 0.8µm minimum	A 38.1±0.3 B 23.82+0.1/-0.15 R 32.5Max S 34.9±0.4 W 2.2+0.9/-0.1 VV THREAD M18x1-6g		the Specifications issued by e (professional recomr	ucts which does not comply ither of the Parties or by a mendation, technical notice Country Jurisdictio	/ with third party		2
	-Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories -Temperature Range : -65°C to +175°C		A 29-09-	PN: 8D7	'13W04SA			
	-Salt Spray : 500 hours -Mass : 27.92 g ± 10%		ISS DAT				MOD N°	
	Designed By: Date: CUSTOMER DRAWING TITLE Aluminium Receptacle 8D series							
<u> </u>	BASIC SERIES:8D7-13WSHELL TYPE : Jam nut Receptacle	04 S A	SCALE NA	General Toleran ±	ices:	NPRDS / PROJECT 859		1
	CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 13	ORIENTATION : A CONTACT TYPE : SOCKET(500 Matings)	SOURIAU WWW.SOURIAU.COM		This document is the property SOURIAU it must not be reproduced of communicated without permise	oduced or		
	PLATING : W = Olive drab Cadmium	CONTACT LAYOUT : 13-04	FORMAT A3		IAU DRG N° L3W04SA-C		SHEET 1/2	
L	H G	F E	D	C	В	A		

Г	T G	П	m		B			
4	Contact Layout $ \begin{array}{c} & & & & \\ & & & & \\ & & & & \\ & & & &$			Panel cutout JAM NUT RECEPTACLE (TYPE 7)		4		
	T Contacts (Insert arrangement 13-4) Location Location Contact Non-interval Contact Contact Marce Contact Contact Contact Contact B +.146 (3.71) +.035 (0.89) C +.000 (0.00) 083 (2.11) D 146 (3.71) +.035 (0.89) Shell Arrangement Number of Size Service Contact Supersedes 13 -4 4 16 I All MS20051-4			ØC				
ى ع				Dim Nominal B 24.26+0/-0. ØC 25.65+0.25,		3		
				due to a use of the Pro the Specifications issued by	le for any non-conformity or damage ducts which does not comply with either of the Parties or by a third party nmendation, technical notice.)			
2					CountryJurisdiction & Control ListFRNot Listed	2		
				PN: 8D	PN: 8D713W04SA			
				A 29-09-2016 First Release				
				ISSDATELatest modification - byDesigned By:Date:	CUSTOMER DRAWING	MOD N°		
				TITLE Alun	TITLE Aluminium Receptacle 8D series			
				SCALE Genera Tolera				
<u> </u>					NA ± 859 This document is the properties This document is the properties			
					RIAU DRG N° 13W04SA-C	SHEET 2/2		
L	H G	F	E	D C	B A			