ASSOCIATION CONNECTING LECTRONICS INDUSTRIES INCOMPACTING International and Pan-,	C. Bannockb	ourn. Illinois. A	ll rights reserved u utions.	nder both	This docum level parts, t	ent is a declaration er	n of the substand compasses all lo	es within the manufactur wer level materials for w	rer listed i hich the n	tem. Note: if nanufacturer	the item is an as has engineering	sembly with lower responsibility.	
	-21.1 IPC Web Site for Information on IPC-1752 Standard Form Distribution Distribut								ials and M	ls and Mfg Information			
Supplier Information													
Company name* Compa			ompany unique ID			Unique ID Authority				Response Date*			
onsemi										2023-06-12			
Contact Name Title - Contact			zt I		Phone - Contact*				Email - Contact*				
Product-Env-Stewards Product Envi			Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represe			sentative		Phone - Representative*			Email - Representative*					
Product-Env-Stewards Product E			uct Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	NCP591	CP59151MN18TYG 1.5A 1.8V VLDO R		REGULATOR	R	2023-06-12	2023-06-12			44.74	mg	Each	
Manufacturing Proccess Informati	on												
Terminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSI	L Rating	Peak Proce	ss Body Tempera	ture Max Time at Peak	Temperat	ure Numb	er of Reflow Cyc	cles		
Matte Tin (Sn) - annealed CU Alloy			1		260	С	30	secon	ids 3				
Comments													
evel 1 - maximum time at peak temperatur	e during sol	dering is 10-3	0 seconds										
for more information regarding material co	omposition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.25	mg	Supplier	Silicon (Si)	7440-21-3		3.25	mg
Die Attach	0.86	mg	Supplier	Silver (Ag)	7440-22-4		0.645	mg
			Supplier	Epoxy resins	129915-35-1		0.215	mg
Lead Frame 14.2	14.23	mg	Supplier	Silver (Ag)	7440-22-4		0.1423	mg
			Supplier	Tin (Sn)	7440-31-5		0.0356	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0313	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0356	mg
			Supplier	Copper (Cu)	7440-50-8		13.9852	mg
Mold Compound-Black 2	25.58	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		2.0464	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1279	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.5116	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		22.1267	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.7674	mg
Plating	0.57	mg	Supplier	Tin (Sn)	7440-31-5		0.57	mg
Wire Bond - Au	0.25	mg	Supplier	Gold (Au)	7440-57-5		0.25	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).