# XVCZ13

Harmony XVC, Aluminium mounting tube, with metal fixing plate, for tower light XVC Ø100, and beacon XVR 106 and 120 mm



#### Main

Range of Product	Harmony XVC1
Accessory / separate part designation	Aluminium expansion tube with metal fixing plate
Accessory / Separate Part Type	Expansion tube with fixing plate
Accessory / separate part category	Mounting and fixing accessories
Accessory / separate part destination	Complete pre-wired monolithic tower light

Complementary

Diameter	5.51 in (140 mm)
Height	11.81 in (300 mm)
Net Weight	1.54 lb(US) (0.7 kg)

Ordering and shipping details

erdoring and ompping dotailo	
Category	22617 - XVC TOWER LIGHTS
Discount Schedule	XV
GTIN	3606480032882
Nbr. of units in pkg.	1
Package weight(Lbs)	31.53 oz (894 g)
Returnability	Yes
Country of origin	JP

**Packing Units** 

1 doking office	
Unit Type of Package 1	PCE
Package 1 Height	6.30 in (16 cm)
Package 1 width	6.10 in (15.5 cm)
Package 1 Length	12.60 in (32 cm)
Unit Type of Package 2	S04
Number of Units in Package 2	3
Package 2 Weight	8.67 lb(US) (3.934 kg)
Package 2 Height	11.81 in (30 cm)
Package 2 width	15.75 in (40 cm)
Package 2 Length	23.62 in (60 cm)
Unit Type of Package 3	P06
Number of Units in Package 3	12
Package 3 Weight	53.59 lb(US) (24.308 kg)
Package 3 Height	30.31 in (77 cm)
Package 3 width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)

# Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	€Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information

#### Contractual warranty

Warranty	18 months

### **Dimensions and Mounting**



