

NOTES:

.XX ±0.13 .XXX ±0.05

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING

OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
	CHECKED:	DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W2WK2322-1N2		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W2W	K2322-1N2	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

ISSUE

1

↓ 4 ↓ ↓ ↓	ψ Ψ L	$\psi \psi \psi \psi \psi \psi \psi$			
			11W1	1 Male/Female	
	8W8 Femal	e			
47.05 23.03 3 14.46 90 90 90 20 20 20 20 20 20 20 20 20 20 20 20 20		<u>31.75</u> 22.83 - → → → → → → → → → → → →	2.04		
CURRENT RATIN	NG / ØA		17W2	2 Male/Female	
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			20 1 1	47.00 23.03 8.31 9.70	
					s
			COMBINATION	I D-20R	
ERIES FULLY CONFORMS TO	-		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS	s
JROPEAN UNION DIRECTIVES			TORONTO, ONTARIO CANADA	ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	
5/EU FOR RoHS COMPLIANCY.			0		-

63.50

31.75

22.97




THIS SEF THE EUR 2011/65/EU FOR RoHS COMPLIANCY.

	¥					
		SW REFERENCE NO .:	627 C	OMBO ASS	EMBLY	
COMBINATION	D-SUB	DRAWN: C.B		DATE: J	IAN. 01/20	19
		CHECKED:		DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S		SHEET	3 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	627W2W	K2322-1N2	2	ISS
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	627W2W	K2322-1N2	2	1

5W5 Female

47.0/

23.53



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male









36W4 Female





13W3 Male


3


3













13W6 Male



43W2 Male





.X ±0.25 .XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W2W	K2322-1N2	ISSUE
2011/03/ED FOR KUNS COMPLIANCE.	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W2W	/K2322-1N2	1