


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


Â	

ISSUE NUMBER


ORIGINAL

(1)





NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF 4 SCALE: (IN C.A.D. 1:1) SHEET 1 EDAC INC ARE THE PROPERTY OF EDAC INC. AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-13W3622-5NA ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-13W3622-5NA WITHOUT WRITTEN PERMISSION.





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

628-13W3622-5NA

21W4 Male/Female


		33.30 		63.50 31.75 00 9.70 00 9.70 00 9.70 00 00 00 00 00 00 00 00 00 00 00 00 00 00	and a second
		11W1 Male/Female	27W2 Male/Femal	e	
e 80	/8 Female 53.50 51.76 22.97 22.97 22.97 4 4 4 4 4 4 4 4	33.30 16.65 9.70 8.31 9.70		03.50 31.75 +++++++++ 2	and the second
		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / Ø 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2)A	47.06 23.63 13.85 0 0 0 0 0 0 0 0 0 0 0 0 0		47.05 23.63 4 4 4 4 4 4 4 4 4 4 4 4 4	æ
		COMBINATION D-SUB		COMBO ASSEMBLY	
	COMBINAT			DATE: JAN. 01/20	019
			CHECKED: DATE:		
THIS SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTA CANADA	RIO SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-13W	3622-5NA	ISSUE
2011/03/20 FOR RUNS COMFLIANCE.	YOUR CONNECTION TO QUALITY & SERVI	CE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-13W3622-5NA 1		

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female

COMPLIANT



8W8 Male

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 1 82 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77






13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT












		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-13W3622-5NA		ISSUE
			PART NUMBER: 628-13W	3622-5NA	1





17W5 Female

