



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

\land \Box	L
	Г
	┝
	L







NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B		DATE: JAN. 01/2019		19	
	CHECKED:		DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE: (IN C.A.D. 1:1)		SHEET 1	OF	4
CANADA		DRAWING NUMBER: 628	N4224-4NC		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628	8-21W4	1224-4NC		1






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05




2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

628-21W4224-4NC

21W4 Male/Female

5W5 Male	8W8 Male	/ WZ Male/Fernale	2 TW4 Male/Female			
		33.30 33.30 4 4 4 4 4 4 4 4 4 4 4 4 4		175 18- 		
		11W1 Male/Female	27W2 Male/Female			
5W5 Female	8W8 Female 31.75 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.43 72.44		83.50 22.70 31 66.52 16.52 15.24 4 4 4 4 4 4 4 4 4 4 4 4 4	123 A B B B B B B B B B B B B B B B B B B B		
		17W2 Male/Female	21W1 Male/Female			
CURF	RENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	47.05 23.63 13.85 				
			SW REFERENCE NO.: 628 COMBO ASSE	MBLY		
	CC	COMBINATION D-SUB		N. 01/2019		
			CHECKED: DATE:			
THIS SERIES FULLY CONFOR		EDAC INC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND		3 OF 4		
COMPLIANT 2011/65/EU FOR RoHS COMP		RONTO, ONTARIO CANADA SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUSACTURE OR SAIL OF ADDADATUS	DRAWING NUMBER: 628-21W4224-4NC			
COWI LIANT	YOUR CONNECTION TO QUA	ALITY & SERVICE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-21W4224-4NC	1		

WITHOUT WRITTEN PERMISSION.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male









36W4 Female



13W3 Male












13W6 Male



43W2 Male







43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







SW REFERENCE NO.: 628 COMB				OMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628-21W4224-4NC		ISSUE	
			PART NUMBER: 628-21W	4224-4NC	1	

.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

17W5 Female