



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER	
ORIGINAL	(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-36W	4224-5TC	ISSUE	
YOUR CO	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-36W	4224-5TC	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




628-36W4224-5TC


					ese
		11W1 Male/Female	27W2 Male/Femal	e	
47.06 14.46 14.46 23.03 14.46 23.03 24.03 25	3W8 Female 53.50 53.50 53.50 53.50 72.83 72.87 72.97	33.30 16.65 9.70		63.50 31.75 2 16.24 +++++++++ ++++++++++++++++++++++++++	and the second s
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ØA	17W2 Male/Female	21W1 Male/Femal	47.05	æ
			SW REFERENCE NO.: 628 C	COMBO ASSEMBLY	
	COMBIN	ATION D-SUB	DRAWN: C.B	DATE: JAN. 01/20)19
		THESE DRAWINGS AND SPECIFICATIONS	CHECKED:	DATE:	
IS SERIES FULLY CONFORMS TO		IC ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	
11/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SE	A OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS		4224-5TC	ISSUE 1

5W5 Male


5W5 Female



8W8 Male



5.30



WITHOUT WRITTEN PERMISSION.

THIS THE 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female



13W3 Male











13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4
	CANADA		DRAWING NUMBER: 628-36774224-51C		ISSUE
			PART NUMBER: 628-36W	4224-5TC	1