Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions

$$\label{eq:max-ey} \begin{split} \text{Max-Eyth-Straße 1} & \cdot \text{74638 Waldenburg} \cdot \text{Germany} \\ \text{Tel.} & +49 (0) \, 79 \, 42 \, 945 - 0 \cdot \text{Fax} \\ & +49 (0) \, 79 \, 42 \, 945 - 400 \\ \text{eiSos@we-online.de} \cdot \text{www.we-online.de} \end{split}$$



Product / Process Change Notification (PCN) ☐ Major change ☐ Minor change		
PCN #:	PCN_UtWPCC_20200529	Change Category:
Affected Series:	760308102207	□ Equipment / Location⊠ General Data□ Material
PCN Date:	February 28, 2020	□ Process
Effective Date:	May 29, 2020	□ Product Design□ Shipping / Packaging□ Supplier□ Software
Contact:	Product Management	Data Sheet Change:
Phone:	+49 (0) 7942 - 945 5001	⊠ Yes □ No
Fax:	+49 (0) 7942 - 945 5179	Attachment:
E-Mail:	pcn.eisos@we-online.com	⊠ Yes □ No
DESCRIPTION AND PURPOSE OF CHANGE: To ensure an improved product assembly, Würth Elektronik will change the recommended hole pattern diameter of the article 760308102207 from 1.0 mm to 1.2 mm and the recommended hole distance from 2 mm to 5 mm.		
DETAIL OF CHANGE:		
The recommended hole pattern diameter in the datasheet of the article 760308102207 will be changed from 1.0 mm to 1.2 mm.		
The recommended hole distance will be changed from 2 mm (min.) to 5 mm.		
Ве	fore: After:	
Recommended Hole Pattern: [mm] Recommended Hole Pattern: [mm]		
<u>2,0 r</u>	1 + + 2 1 - +	<u>Φ</u> 1,2

Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions

$$\label{eq:max-energy} \begin{split} \text{Max-Eyth-Straße 1} & \cdot \text{74638 Waldenburg} \cdot \text{Germany} \\ \text{Tel.} & +49 \text{ (0)} \text{ 79 42 945-0} \cdot \text{Fax } +49 \text{ (0)} \text{ 79 42 945-400} \\ \text{eiSos@we-online.de} & \cdot \text{www.we-online.de} \end{split}$$



RELIABILITY / QUALIFICATION SUMMARY:

Process / Product approval is according to internal requirements released by the Total Quality Department and the Product Management Department.