Me In-	Dunting Option Line Card Guides	Contact Detail PC Tail .023x.013(0.58x0.33) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTI	ER.	ISSUE NUMBER ORIGINAL (1
0.500[12.70]	0.156[3.9	6] — 6.248[158.70] — 6.394[162.41] — 6.680[169.67]		SECTI	ON A-A
	A	EDRG			
				.175 [4.45] Point of Contact (FROM BTM OF SLOT)	
0.473 [12.01]	6.990[177.55] — Card to .070			d Slot Accepts .054 [1.37] 70 [1.78] Thick P.C. Board	-
			307 / 357 Card Edge Connector Part Number: 357-039-431-178		307 ENG MASTER DATE: AUG. 11/09
	See Accompanying Page	Part Number: 357-03			DATE: AUG. 11/09
 Contact Bend Details Mounting Options 			C INC THESE DRAWINGS AND SPECIFICATIONS		SHEET 1 OF 3
		S > TORONTO	, ONTARIO ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED	DRAWING NUMBER	ISSUE
			YOUR CONNECTION TO QUALITY & SERVICE OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		1



