



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

Γ			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019			
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
YOUR CO	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-21W	4624-1N5	ISSUE	
			PART NUMBER: 628-21W	4624-1N5	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05




2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female



21W1 Male/Female

	+=+	+ and t			
			11W1	Male/Female	
8W8 Fe	male			33.30	
47.06 - 23.83 - 14.40 - 14.40 - 90 - 90					
eneti teneti	19291	+ <u>-7×84</u> -	17W2	Male/Female	
CURRENT RATING / ϕ A					
10A / 2.2				47.05	
20A / 3.3 30A / 3.7 40A / 4.2			287 1		
	COMBINATION D-SUB				
HIS SERIES FULLY CONFORMS TO HE EUROPEAN UNION DIRECTIVES 011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNEC	EDAC IN TORONTO, OI CANAD TION TO QUALITY & SE	NTARIO A	THESE DRAWINGS AND SPECIFI ARE THE PROPERTY OF EDAC II SHALL NOT BE REPRODUCED,O OR USED AS THE BASIS FOR TH MANUFACTURE OR SALE OF AP WITHOUT WRITTEN PERMISSION	



5W5 Male


5W5 Female

TΗ

ΤН


20


COMPLIANT



8W8 Male

63.50 XI.77





TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male



47.00

23.53







36W4 Female




13W3 Male


3

3









13W6 Male



43W2 Male





17W5 Female


 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20)19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-21W	4624-1N5	ISSUE
			PART NUMBER: 628-21W	4624-1N5	1