Safety Data Sheet



Revision Number: 006.1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

 Product type:
 Silicor

 Restriction of Use:
 None

 Company address:
 Henkel Corporation

 One Henkel Way
 Rocky Hill, Connecticut 06067

LOCTITE SI 5145 known as Loctite(R) 5145 RTV Silicone A Silicone sealant None identified

IDH number:

230079

Item number:19803Region:United StatesContact information:Telephone: +1 (860) 571-5100MEDICAL EMERGENCY Phone: Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEWWARNING:MAY CAUSE AN ALLERGIC SKIN REACTION.

| HAZARD CLASS | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN SENSITIZATION | 1 |
| PICTOGRAM(S) | |
| | |

Precautionary Statements

| Prevention: | Avoid breathing vapors, mist, or spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. |
|-------------|--|
| Response: | IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse. |
| Storage: | Not prescribed |
| Disposal: | Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations. |

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* | |
|----------------------------|------------|-------------|--|
| Silica, amorphous, treated | 68909-20-6 | 20 - 30 | |
| Dimethoxydimethylsilane | 1112-39-6 | 1 - 5 | |
| Tetraethyl silicate | 78-10-4 | 1 - 5 | |

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

| 4. | FIRST AID MEASURES |
|------------------------------------|--|
| Inhalation: | Move to fresh air. If symptoms develop and persist, get medical attention. |
| Skin contact: | Wipe off paste with paper towel or cloth. Wash with soap and water. If skin irritation persists, call a physician. |
| Eye contact: | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist. |
| Ingestion: | Do not induce vomiting. Get medical attention. |
| Symptoms: | See Section 11. |
| 5. F | IRE FIGHTING MEASURES |
| Extinguishing media: | Foam, dry chemical or carbon dioxide. Do not use high volume water jet. In case of fire, keep containers cool with water spray. |
| Special firefighting procedures: | Prevent inhalation of fumes and gases. Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. |
| Unusual fire or explosion hazards: | None |
| Hazardous combustion products: | Oxides of carbon. Oxides of silicon. Formaldehyde. Toxic and irritating vapo |

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

| Environmental precautions: | Do not allow material to contaminate ground water system. |
|----------------------------|---|
| Clean-up methods: | Scrape up as much material as possible. Maintain good ventilation for large spills. Place scrap material in a well ventilated area and allow to cure to rubber. |

7. HANDLING AND STORAGE

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Storage:

Store in a dry area below 90° F.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|----------------------------|---------------------------------|----------------------------|-----------|-------|
| Silica, amorphous, treated | 10 mg/m3 TWA Inhalable dust. | 6 mg/m3 TWA | None | None |
| Dimethoxydimethylsilane | None | None | None | None |
| Tetraethyl silicate | 10 ppm TWA | 100 ppm (850 mg/m3) PEL | None | None |

| Engineering controls: | Ensure adequate ventilation, especially in confined areas. Avoid naked flames, sparking and sources of ignition. Handle in accordance with good industrial hygiene and safety practice Prevent electrostatic charge build-up by using common bonding and grounding techniques. |
|-------------------------|--|
| Respiratory protection: | Use a NIOSH approved supplied air respirator with an organic cartridge if the potential to exceed established exposure limits exists. |
| Eye/face protection: | Safety goggles or safety glasses with side shields. |
| Skin protection: | Use impermeable gloves and protective clothing as necessary to prevent skin contact. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper:

Flammable/Explosive limits - upper: Autoignition temperature: Flammability: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content: Viscosity: Decomposition temperature: Product is a solid by ASTM D4359-90 Translucent Slight, Alcoholic Not available. Not applicable < 10 mm hg (21.1 °C (70°F)) Not applicable Not available. 1.1 at 20 °C (68°F) Not available. Not classified as a flammable solid per DOT Classification Guidelines Part 173 Appendix H 7/10/2002. Not applicable Not applicable Not applicable Not applicable Not available. Polymerises in presence of water. Not available. 3.64 %; 40 g/l Not available. Not available.

10. STABILITY AND REACTIVITY

| Stability: | Stable under normal conditions of storage and use. |
|--------------------------------------|---|
| Hazardous reactions: | None under normal processing. |
| Hazardous decomposition products: | Oxides of carbon. Oxides of silicon. Formaldehyde. Contact with water liberates methanol. Irritating vapors. |
| Incompatible materials: | Acids. Bases. Oxidizing agents. Moisture. |
| Reactivity: | Not available. |
| Conditions to avoid: | Exposure to moisture. Heat, flames, sparks and other sources of ignition. |

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

| Inhalation: | Inhalation of vapors from uncured sealant may cause respiratory tract irritation. Overexposure to methanol formed during cure may cause drowsiness, nausea, and vomiting. When heated to temperatures exceeding 300° F (150° C) in the presence of air, silicones may form formaldehyde vapors. Formaldehyde is a potential cancer hazard and a known skin and respiratory sensitizer. Vapors irritate the eyes, nose and throat. Safe handling conditions may be maintained by keeping formaldehyde vapor concentrations below the OSHA permissible limit. |
|----------------------------|---|
| Skin contact: | Prolonged or repeated contact with uncured sealant may cause skin irritation. May cause allergic skin reaction. |
| Eye contact: Ingestion: | May cause eye irritation. May be harmful if swallowed. |

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|----------------------------|-----------------|--|
| Silica, amorphous, treated | None | No Target Organs |
| Dimethoxydimethylsilane | None | Irritant, Allergen |
| Tetraethyl silicate | None | Central nervous system, Irritant, Kidney, Liver, Lung |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|----------------------------|----------------|-----------------|---|
| Silica, amorphous, treated | No | No | No |
| Dimethoxydimethylsilane | No | No | No |
| Tetraethyl silicate | No | No | No |

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Follow all local, state, federal and provincial regulations for disposal.

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

| Proper shipp | ing name: | Not regulated |
|----------------|--------------|---------------|
| Hazard class | or division: | None |
| Identification | number: | None |
| Packing grou | ıp: | None |
| | | |

 International Air Transportation (ICAO/IATA)

 Proper shipping name:
 Not regulated

 Hazard class or division:
 None

 Identification number:
 None

 Packing group:
 None

| Water Transportation (IMO/IMDG) | |
|---------------------------------|---------------|
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |
| Exceptions: | None |

15. REGULATORY INFORMATION

United States Regulatory Information

| TSCA 8 (b) Inventory Status: | All components are listed or are exempt from listing on the Toxic Substances Control Act | |
|--|--|--|
| TSCA 12 (b) Export Notification: | Inventory. None above reporting de minimis | |
| CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: | None above reporting de minimis. Immediate Health, Delayed Health None above reporting de minimis. | |
| California Proposition 65: | This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. | |
| Canada Regulatory Information | | |
| CEPA DSL/NDSL Status: | One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List. | |
| 16. OTHER INFORMATION | | |

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Cara R. Rivera, Regulatory Affairs Specialist

Issue date: 08/01/2017

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.