



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		DRAWN: C.B	DATE: JAN. 01/20	19	
			DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-3W3-224-1N6		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-3W3	-224-1N6	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.







THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

628-3W3-224-1N6


21W4 Male/Female

47.05 23.63 - 14.49 - 14.49		33.30 <b>33.30</b> <b>4.80</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b> <b>1.805</b>			- Base
	1	1W1 Male/Female	27W2 Male/Femal	e	
2 8W8	Female 31.75 $22.87$ $4$ $4$ $4$ $4$ $4$ $4$ $4$ $4$ $4$ $4$	33.30 33.30 3.30 9.70		e3.50 31.75 2 15.24 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
		7W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.05 23.65 13.85   		47.05 21.63 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5	æ
	$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
	COMBINAT	ION D-SUB	DRAWN: C.B	DATE: JAN. 01/20	)19
				CHECKED: DATE:	
THIS SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTAF	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-3W3-224-1N6 ISSUE		
	YOUR CONNECTION TO QUALITY & SERVIC	MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-3W3-224-1N6 1		

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female



8W8 Male

2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male





36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male











			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
ONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4	
N DIRECTIVES COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-3W3-	-224-1N6	ISSUE	
			PART NUMBER: 628-3W3-	-224-1N6	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.