
TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






(1)

ORIGINAL







NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Insulator resistance: 1000V AC rms} \\ \mbox{Insulator resist$




| | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | |
|--------------------|----------------------------|---|--------------------------------------|-----------------|----------------|-------|
| | COMBINATION D-SUB | | | C.B | DATE: JAN. 01/ | 2019 |
| | | | CHECKED: | | DATE: | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (| (IN C.A.D. 1:1) | SHEET 1 O | F 4 |
| | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 630-7W2- | | -240-2NE | ISSUE |
| YOUR CONNECTION TO | QUALITY & SERVICE | | PART NUME | BER: 630-7W2- | -240-2NE | 1 |





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female

17W2 Male/Female





ISSUE NUMBER

 $\overline{(1)}$

5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




POB EDGE

5350 22.70 7.13 1.00 9.70 4 7.13 1.00 9.70 1.00 9.70 1.00 9.70 1.00 9.70 1.00 9.70 1.00 9.70 1.00 9.70 1.00 1.




27W2 Male/Female

21W4 Male/Female




21W1 Male/Female





| | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | |
|------------|-----------------------------|--|--------------------------------------|--------------------|-------|--|
| | COMBINATION D-SUB | | | DATE: JAN. 01/2019 | | |
| | | | CHECKED: | DATE: | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 3 OF | 4 | |
| | TORONTO, ONTARIO CANADA | | DRAWING NUMBER: 630-7W2-240-2NE | | ISSUE | |
| YOUR CONNE | ECTION TO QUALITY & SERVICE | | PART NUMBER: 630-7W2 | -240-2NE | 1 | |


5W5 Female



8W8 Female







10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2

CURRENT RATING / ØA



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

















13W3 Male





25W3 Male





PCB EDGE

PCB EDGE


2.77

31.75


32.00

15.50

36W4 Female



13W6 Male





22.18

2.77

20.78

20.70

13.72

PCB EDGE

13W6 Female

17W5 Female

13W3 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

43W2 Female


47W1 Female





17W5 Male

COMPLIANT









| | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | |
|---|--|--|--------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R0HS COMPLIANCY. | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | | DRAWING NUMBER: 630-7W2- | -240-2NE | ISSUE |
| | | | PART NUMBER: 630-7W2- | -240-2NE | 1 |





24.77