


Data sheet | Item number: 706-3037/200-100

System cable; for Schneider TSX; 8 digital outputs; Length: 1 m; Conductor cross-section: 0.14 mm²

www.wago.com/706-3037/200-100



Color coding acc. to DIN VDE 47100		10 poles flat connector		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	OUT0.0	1	0
Brown		2	OUT0.1	2	1
Green		3	OUT0.2	3	2
Yellow		4	OUT0.3	4	3
Grey		5	OUT0.4	5	4
Pink		6	OUT0.5	6	5
Blue		7	OUT0.6	7	6
Red		8	OUT0.7	8	7
Black		9	+24V	13	+24V
Violet		10	0V	14	0V

Data

Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A.

Electrical data

Inputs/outputs	8 digital outputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	1 A

Compatibility

Schneider

Schneider TSX TSX DSZ 04T22
TSX DSZ 08T2

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection data

Cable type	LiYY
Color code	per DIN VDE 47100

Connection 1

Connector	Pluggable connector per DIN 41651; female connector
Pole number 1	10
Connection type 1	System
Wire cross-section	0.14 mm ²

Connection 2

Connector 2	Schneider TSXBLZH01
Pole number 2	15
Connection type 2	System

Physical data

Cable length	1 m
--------------	-----

Material Data

Weight	118 g
--------	-------

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	FR
GTIN	4055143983990
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide

pdf
545.9 kB

[Download](#)

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-3037/200-100

URL

[Download](#)

System cable; for Schneider TSX; 8 digital outputs; Length: 1 m; Conductor cross-section: 0.14 mm²

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.