



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



	ISSUE NUMBER
ORIGIN	AL

(1)





## NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

T	Ţ	ÌЩ		ĴŨŨŨ	ĴŰŰŰ	T	


 $\label{eq:signal_contact_current rating: 5A per contact} $$ Signal contact resistance: 10m $$ Max.$$ INSULATOR RESISTANCE: 5000M $$ min.$$ DIELECTRIC$$ WITHSTANDING VOLTAGE: 1000V $$ AC rms$$ The second second$ 



	SW REFERENCE NO.: 627 COMBO ASSEMBLY								
COMBINATION D-SUB				DRAWN: C.B			DATE: JAN. 01/2019		
	CHECKED:			DATE:					
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	(IN C.A.D. 1	:1)	SHEET	1 0	F 4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING	ONUMBER:	627-25W3	3224-5TC		ISSU	Е
YOUR CONNECTION TO	QUALITY & SERVICE		PART NUI	MBER:	627-25W3	3224-5TC		1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



 $\overline{(1)}$ 

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female



	SW REFERENCE NO.: 627 COMBO ASSEMBLY						
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19				
	CHECKED:	DATE:					
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4			
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-25W	: 627-25W3224-5TC				
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-25W	3224-5TC	1			

5W5 Male

5W5 Female



47.00

23.53


8W8 Male

8W8 Female

31.76


V

22.83






11W1 Male/Female




## 17W2 Male/Female

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT



CURRENT RATING / ØA





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 목





13W6 Male



43W2 Male





17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.









2.77

			SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	DRAWN: C.B		DATE: JAN. 01/2	19		
	CHECKED:		DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET 4 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER:	627-25W3	3224-5TC	ISSUE
YOUR CONNECTION TO	QUALITY & SERVICE		PART NUMBER:	627-25W3	3224-5TC	1