


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	OWN	APVD
CE	16	D	ECR-14-011637	22AUG2014	HZ RZ

1. MAXIMUM CABLE ASSEMBLY LOSS IS 1.0dB.
2. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE STANDARD TEC-138-702.



6457048-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.S.VASU 15SEP05	STE TE Connectivity	
DIMENSIONS: METERS [INCHES]		CHK J.DUNCAN 15SEP05		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.DUNCAN 15SEP05	NAME LC LOOPBACK, FIBER OPTIC, 62.5/125 MULTIMODE	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	APPLICATION SPEC	
2 PLC ± -	3 PLC ± -	WEIGHT		
4 PLC ± -	ANGLES ± -	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
MATERIAL	FINISH	A2 00779 C-6457048		
CUSTOMER DRAWING		SCALE NTS	SHEET 1 of 1	REV D