## ATGBICS CAB-D-8S-400G-2.5M Arista Compatible Direct Attach Copper Breakout Cable 400G QSFP-DD to 8x50G SFP56 (2.5m, Passive)

Brand: ATGBICS Product code: CAB-D-8S-400G-2.5M-C

Product name: CAB-D-8S-400G-2.5M Arista Compatible Direct Attach Copper Breakout Cable 400G QSFP-DD to

8x50G SFP56 (2.5m, Passive)

CAB-D-8S-400G-2.5M Arista Compatible Direct Attach Copper Breakout Cable 400G QSFP-DD to 8x50G SFP56 (2.5m, Passive)

ATGBICS CAB-D-8S-400G-2.5M Arista Compatible Direct Attach Copper Breakout Cable 400G QSFP-DD to 8x50G SFP56 (2.5m, Passive):

ATGBICS CAB-D-8S-400G-2.5M compatible 400GBase SFP-DD to 8x50G QSFP56 direct attach breakout cable operates over passive copper with a cable length of 1m. It is suitable for very short distances and provides a cost-efficient way to connect hardware within close proximity racks. This breakout cable connects to 1 x 400G QSFP-DD port of a switch on one end and to 8 x 50G SFP56 ports of a switch on the other end. Our product meets the specification of Arista CAB-D-8S-400G-2.5M= and we proudly offer a compatibility guarantee and lifetime warranty. Our rigorously tested products record a unique traceable serial number and are fully compliant with all MSA Standards and protocols including; SFF-8679, QSFP-DD MSA, IEEE802.3bj, and IEEE802.3cd.





Features		Features	
Product colour * Cable length * Connector 1 *	able length * 2.5 m onnector 1 * QSFP-DD onnector 2 * SFP56 onnector 1 gender * Male onnector 2 gender * Male ocket material Polyvinyl chloride (PVC) onductor material Copper thernet interface type 400 Gigabit Ethernet	Plug and Play Certification Country of origin	✓ CE, FCC, RoHS United Kingdom
Connector 1 gender *		Operational conditions	
Connector 2 gender * Jacket material		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 70 °C -40 - 80 °C 10 - 90%
Ethernet interface type Networking standards		Storage relative humidity (H-H)  Packaging data	10 - 85%
AWG wire size Data transfer rate	28 400000 Mbit/s	Quantity per pack	1 pc(s)



5056468760326

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.