



Product Change Notification / SYST-23XOWL757

Date:

26-Apr-2021

Product Category:

8-bit Microcontrollers

PCN Type:

Document Change

Notification Subject:

Data Sheet - PIC16(L)F1614/8 14/20-Pin, 8-Bit Flash MCU Data Sheet

Affected CPNs:

[SYST-23XOWL757_Affected_CPN_04262021.pdf](#)

[SYST-23XOWL757_Affected_CPN_04262021.csv](#)

Notification Text:

SYST-23XOWL757

Microchip has released a new Product Documents for the PIC16(L)F1614/8 14/20-Pin, 8-Bit Flash MCU Data Sheet of devices. If you are using one of these devices please read the document located at [PIC16\(L\)F1614/8 14/20-Pin, 8-Bit Flash MCU Data Sheet](#).

Notification Status: Final

Description of Change:

- 1) Updated Table 17-1. Updated section 23.6.2 Hardware gate Mode, as well as Figure 36-15. Added more information under section 23.6.10 LEVEL-TRIGGERED HARDWARE LIMIT ONE-SHOT modes.
- 2) Performed Terminology clean-up.
- 3) Applied the updated editing standards.

Impacts to Data Sheet: None

Reason for Change: To Improve Productivity

Change Implementation Status: Complete

Date Document Changes Effective: 26 Apr 2021

NOTE: Please be advised that this is a change to the document only the product has not been changed.

Markings to Distinguish Revised from Unrevised Devices: N/A

Attachments:

[PIC16\(L\)F1614/8 14/20-Pin, 8-Bit Flash MCU Data Sheet](#)

Please contact your local [Microchip sales office](#) with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to receive Microchip PCNs via email please register for our PCN email service at our [PCN home page](#) select register then fill in the required fields. You will find instructions about registering for Microchips PCN email service in the [PCN FAQ](#) section.

If you wish to change your PCN profile, including opt out, please go to the [PCN home page](#) select login and sign into your myMicrochip account. Select a profile option from the left navigation bar and make the applicable selections.

Affected Catalog Part Numbers (CPN)

PIC16F1614-E/ML
PIC16F1614-E/P
PIC16F1614-E/SL
PIC16F1614-E/ST
PIC16F1614-E/STVAO
PIC16F1614-I/ML
PIC16F1614-I/P
PIC16F1614-I/SL
PIC16F1614-I/SLVAO
PIC16F1614-I/ST
PIC16F1614T-E/SL
PIC16F1614T-H/SLVAO
PIC16F1614T-H/STVAO
PIC16F1614T-I/ML
PIC16F1614T-I/SL
PIC16F1614T-I/SLVAO
PIC16F1614T-I/ST
PIC16F1618-E/GZ
PIC16F1618-E/ML
PIC16F1618-E/P
PIC16F1618-E/SO
PIC16F1618-E/SS
PIC16F1618-E/SS020
PIC16F1618-E/SSV01
PIC16F1618-I/GZ
PIC16F1618-I/ML
PIC16F1618-I/P
PIC16F1618-I/SO
PIC16F1618-I/SS
PIC16F1618T-E/SS020
PIC16F1618T-H/SSVAO
PIC16F1618T-I/GZ
PIC16F1618T-I/ML
PIC16F1618T-I/SO
PIC16F1618T-I/SS
PIC16LF1614-E/ML
PIC16LF1614-E/P
PIC16LF1614-E/SL
PIC16LF1614-E/ST
PIC16LF1614-I/ML
PIC16LF1614-I/P
PIC16LF1614-I/SL
PIC16LF1614-I/ST
PIC16LF1614T-I/ML
PIC16LF1614T-I/SL
PIC16LF1614T-I/ST

PIC16LF1618-E/GZ
PIC16LF1618-E/ML
PIC16LF1618-E/P
PIC16LF1618-E/SO
PIC16LF1618-E/SS
PIC16LF1618-I/GZ
PIC16LF1618-I/ML
PIC16LF1618-I/P
PIC16LF1618-I/SO
PIC16LF1618-I/SS
PIC16LF1618T-I/GZ
PIC16LF1618T-I/ML
PIC16LF1618T-I/SS