


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

ORIGINAL

(1)





NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
	EDAG INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
			DRAWING NUMBER: 628W2WK2124-3NA		ISSUE	
			PART NUMBER: 628W2W	K2124-3NA	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





**ISSUE NUMBER** THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

47.0/

47.05

23.53

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female



21W1 Male/Female

	30A / 3.7
	40A / 4.2
	THIS SERIES FULLY CONFORMS TO
	THE EUROPEAN UNION DIRECTIVES
COMPLIANT	2011/65/EU FOR RoHS COMPLIANCY.




CANADA

YOUR CONNECTION TO QUALITY & SERVICE

7W2 Male/Female


11W1 Male/Female



17W2 Male/Female


OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.



SW REFERENCE NO.: 628 COMBO ASSEMBLY			
DRAWN: C.B	DATE: JAN. 01/2019		
CHECKED:	DATE:		
SCALE: N.T.S	SHEET 3 OF	4	
DRAWING NUMBER: 628W2WI	<2124-3NA	ISSUE	
PART NUMBER: 628W2WI	<2124-3NA	1	

31.75



63.50

CURRENT RATING / ØA 10A / 2.2 20A / 3.3

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female



13W3 Male









30.50 20.70 16,62 13.72 15.24 6.74 2.77

13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 628W2WK2124-3NA		ISSUE
			PART NUMBER: 628W2W	K2124-3NA	1

