



Product Change Notification

Date Issued :	June 20, 2022	PCN Number :	512154
Reason for Change :	Packaging Method/Quantity Changing		
Description of Change :	This notification is to inform that this notice that will undergo changes for new Delivery unit as per shipping cartoon quantity. No changes will be made to the product as a result of this change.		
Reason for Short Notice :	Corrective Actions		
Assessment of Change :	Drop Test		
Planned Implementation Date :	July 29, 2022		
Sample Availability Date:	June 22, 2022		
Internal Molex Qualification Date :	June 23, 2022		
Last date to request Samples by Customer :	July 15, 2022		

Before Picture

- Previously Delivery Unit (DU) in SAP system not following existing packaging master shipping carton quantity.

After Picture

Overview

- This notification is to inform that this notice that will undergo changes for new Delivery unit as per shipping cartoon quantity. No changes will be made to the product as a result of this change.

- Product Impact
 - No impact to fit, form, function or specification.

- Part Number Impact
 - 533980967
 - 533981067
 - 533981267
 - 533981367

- Drop test result was available upon request.

2

Molex Confidential Information
© 2016 Molex – All Rights Reserved. Unauthorized Reproduction/Distribution is Prohibited.



RELEASED

You may address inquires regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?subject=PCN_Notification:512154
or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 512154** " in the e-mail Subject line for faster response.

[Molex, LLC](#)
2222 Wellington Court
Lisle, IL 60532
TEL (800) 786-6539
www.molex.com

Updated Quantity Template

Molex Part Number	Current Standard Pack Quantity (DU)	Current Minimum Order Quantity (MLQ)	New Standard Pack Quantity (DU)	New Minimum Order Quantity (MLQ)
533980967	6000	6000	4,000	4,000
533981067	6000	6000	4,000	4,000
533981267	4000	4000	3,000	3,000
533981367	4000	4000	3,000	3,000