



CIRCLED VIAS ARE CONNECTED TO THE SAME SHIELD TERMINAL. ALSO, ALL SHIELD VIAS ARE ELECTRICALLY INTERCONNECTED INSIDE THE CONNECTOR. (SEE CHART FOR EXCEPTIONS FOR POWER TERMINALS\*. THE LOW SPEED TRIADS SHIELD TERMINALS MUST BE USED FOR GROUNDS ONLY AND MAY BE CONNECTED TO OTHER SHIELDS IN THIS CONNECTOR EXCEPT THE ELECTRICALLY ISOLATED SHIELDS).

DETAIL A  
SCALE 12:1  
NUMBERING SCHEME



MATERIAL NUMBER	NO. OF COLUMNS	DIM A	DIM B	DIM C	DIM D	ELECTRICALLY ISOLATED SHIELDS *	LOW SPEED TRIADS *
1728320010	20	N/A	63.00	70.50	71.48	COLUMN 20: B39,B40,D39,D40,F39,F40,H39,H40,J39,J40,L39,L40,N39,N40, R39,R40	COLUMN 19: B37,B38,D37,D38,F37,F38,H37,H38,J37,J38,L37,L38,N37,N38,R37,R38

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
	DIMENSION UNITS	SCALE				
▽ = 0	mm	1:1	EC NO: 630199		PRODUCT CUSTOMER DRAWING	
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: CCHEN103 2019/11/07		DOCUMENT NUMBER	
▽ = 0	ANGULAR TOL ± °		CHK'D: JKACHLIC 2020/02/06		DOC TYPE   DOC PART   REVISION	
▽ = 0	4 PLACES ±		APPR: JKACHLIC 2020/02/06		1728320003	
▽ = 0	3 PLACES ±		INITIAL REVISION:		PSD 000 C1	
▽ = 0	2 PLACES ± 0.15		DRWN: GMINNICK 2017/05/26		MATERIAL NUMBER	
▽ = 0	1 PLACE ±		APPR: KLANG 2018/03/20		CUSTOMER	
▽ = 0	0 PLACES ±		THIRD ANGLE PROJECTION		SHEET NUMBER	
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING		GENERAL MARKET	
▽ = 0			E-SIZE 172832		SEE TABLE	
▽ = 0					2 OF 2	