IPC ASSOCIATION CONNECTINE ELECTRONICS INDUSTRIE	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				under both le	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information					
Supplier Inform	nation															
Company name* Company to			Company uni	ny unique ID t			Unique ID Authority					Response Date*				
onsemi												2023-06-08				
Contact Name		Title - Contact			1	Phone - Contact*					Email - Contact*					
Product-Env-Stewa	ards	Product Enviro Compliance				NA NA				Product-Env-Stewards@onsemi.com						
Authorized Represe	entative*	Title - Representative]	Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requeste	ester Item Number Mfr Iter		tem Number Mfr Item Name				Effective Da	ite Ve	Version Man		Manufacturing Site		/eight*	1	UOM	Unit Type
		NOIP1SE1300A-QTI		PYTHON 1300 Color LVDS, Tape on Lid		on Lid	2023-06-08	23-06-08 THA			1056.06		1	mg	Each	
Janufacturing	Proccess Informatio	n														
Terminal	Plating / Grid Array Material		Terminal Base Alloy J		J-STD-020 MSL I	-020 MSL Rating		Peak Process Body Temperatur		ure Max Time at Peak Temp		Temperatu	nture Number of Reflow Cycles		es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		(no	CU Alloy 3		3		260		C	30 seco		second	s 3			
Comments																
TTENTION: MSI	3 Rated item requires B	ake and D	ry Pack (after	electrical test)												
or more informati	on regarding material co	mposition	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	665.12	mg	Supplier	Cobalt (Co)	7440-48-4		0.0665	mg
			Supplier	Molybdenum (Mo)	7439-98-7		0.0665	mg
			Supplier	Tungsten (W)	7440-33-7		7.9814	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		41.9026	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		589.2963	mg
			В	Nickel (Ni)	7440-02-0		1.8623	mg
			Supplier	Gold (Au)	7440-57-5		1.3302	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		22.614	mg
Die	119.22	mg	Supplier	Silicon (Si)	7440-21-3		119.22	mg
Die Attach	48.62	mg	Supplier	Silver (Ag)	7440-22-4		41.327	mg
			Supplier	Epoxy resins	129915-35-1		7.293	mg
Glass Attach Epoxy	3.41	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		1.4186	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.0102	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		1.364	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0887	mg
			Supplier	Additive	1760-24-3, 2530- 83-8		0.5286	mg
Glass Lid /Cap	219.48	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		18.4363	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		130.5467	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		17.9974	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		17.3828	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		35.1168	mg
Wire Bond - Al	0.21	mg	Supplier	Aluminum (Al)	7429-90-5		0.21	mg